

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** YELLOWSTONE JET CENTER LLC  
490 GALLATIN FIELD RD  
BELGRADE, MT 59714 GALLATIN

**Sys Fac ID:** 16-04440

**Last Inspected On:** 6/5/2015

**Operating Permit Renewal Date:** 8/4/2018

**Contact:** Kent Foster, (406) 388-4152

|  |                |  |
|--|----------------|--|
| <b>Owners/Operators:</b> Signature Flight Support, Owner | (407)-648-7200 | 201 S ORANGE AVE SUITE 1100<br>ORLANDO FL 32801-3478 |
| Signature Flight Support, Operator                       | (407)-648-7200 | 201 S ORANGE AVE SUITE 1100<br>ORLANDO FL 32801-3478 |
| AI Sandvold, UST Class A Operator                        |                |  |
| Robert Lemon, UST Class B Operator                       |                |  |
| Tom Melum, UST Class B Operator                          |                |  |
| Dennis A Franks, UST Class B Global Operator             |                |  |

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material          | Overfill Types    |
|------------------|-----|-------------------|--|--------------------------|-------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option         | Spill Protected   |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type              | CP Met Types      |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection   | Vapor Recovery    |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection | Energy Act        |
| 1                | 38  | 4/11/1977         | Cathodically Protected Steel                           | Steel                    | High Level Alarm  |
| <b>2037</b>      |     |                   | Impressed Current                                      | None                     | Yes               |
| Currently in Use |     |                   | Not Required   | Safe Suction             | Impressed Current |
| Jet Fuel         |     | 4/23/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Deferred                 |                   |
| 12,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root                     |                          |                   |
| 2                | 38  | 4/11/1977         | Cathodically Protected Steel                           | Steel                    | High Level Alarm  |
| <b>2038</b>      |     |                   | Lined Interior/Impressed Current                       | None                     | Yes               |
| Currently in Use |     |                   | Not Required   | Safe Suction             | Impressed Current |
| Jet Fuel         |     | 4/23/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Deferred                 |                   |
| 12,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root                     |                          |                   |
| 3                | 40  | 4/12/1975         | Cathodically Protected Steel                           | Steel                    | High Level Alarm  |
| <b>2039</b>      |     |                   | Lined Interior/Impressed Current                       | None                     | Yes               |
| Currently in Use |     |                   | Not Required   | Safe Suction             | Impressed Current |
| Jet Fuel         |     | 4/23/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Deferred                 |                   |
| 12,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root                     |                          |                   |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** YELLOWSTONE JET CENTER LLC  
490 GALLATIN FIELD RD  
BELGRADE, MT 59714 GALLATIN  
**Contact:** Kent Foster, (406) 388-4152

**Sys Fac ID:** 16-04440  
**Last Inspected On:** 6/5/2015  
**Operating Permit Renewal Date:** 8/4/2018

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material          | Overfill Types    |
|------------------|-----|-------------------|--|--------------------------|-------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option         | Spill Protected   |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type              | CP Met Types      |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection   | Vapor Recovery    |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection | Energy Act        |
| 4                | 40  | 4/12/1975         | Cathodically Protected Steel                           | Steel                    | High Level Alarm  |
| <b>2040</b>      |     |                   | Lined Interior/Impressed Current                       | None                     | Yes               |
| Currently in Use |     |                   | Not Required   | Pressurized              | Impressed Current |
| Jet Fuel         |     | 4/23/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Deferred                 |                   |
| 12,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root                     |                          |                   |
| 5                | 40  | 4/12/1975         | Cathodically Protected Steel                           | Steel                    | High Level Alarm  |
| <b>2041</b>      |     |                   | Impressed Current                                      | None                     | Yes               |
| Currently in Use |     |                   | Not Required   | Safe Suction             | Impressed Current |
| Jet Fuel         |     | 4/23/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Deferred                 |                   |
| 12,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root                     |                          |                   |
| 6                | 40  | 4/12/1975         | Bare Steel   | Steel                    | High Level Alarm  |
| <b>2042</b>      |     |                   | Impressed Current                                      | None                     | Yes               |
| Currently in Use |     |                   | Not Required   | Safe Suction             | Impressed Current |
| Jet Fuel         |     | 4/23/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Deferred                 |                   |
| 12,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root                     |                          |                   |
| 7                | 38  | 4/11/1977         | Cathodically Protected Steel                           | Steel                    | High Level Alarm  |
| <b>2036</b>      |     |                   | Impressed Current                                      | None                     | Yes               |
| Currently in Use |     |                   | Not Required   | Safe Suction             | Impressed Current |
| Aviation Gas     |     | 9/12/2012         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Deferred                 |                   |
| 12,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root                     |                          |                   |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** FLYING J INC BELGRADE  
6505 JACKRABBIT LN  
BELGRADE, MT 59714 GALLATIN

**Sys Fac ID:** 16-05753

**Last Inspected On:** 9/22/2014

**Operating Permit Renewal Date:** 12/17/2017

**Contact:** Damon Borden, (509) 534-1502

**Owners/Operators:** A & H Investments LLC, Owner (509)-534-1502 PO BOX 14646  
SPOKANE WA 99214

Randell Goff, UST Class A Operator  
Tina Guyett-Creaseon, UST Class A Operator  
Kasey Maes, UST Class A Operator  
Michael Smith, UST Class A Operator  
Frieda Holloway, UST Class B Operator  
Randell Goff, UST Class B Global Operator  
Tina Guyett-Creaseon, UST Class B Global Operator  
Kasey Maes, UST Class B Global Operator  
Katherine E Waeckerlin, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material               | Overfill Types                                       |
|------------------|-----|-------------------|------------------------------------|-------------------------------|--|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option              | Spill Protected                                      |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type                   | CP Met Types   |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection        | Vapor Recovery                                       |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection      | Energy Act   |
| 1                | 39  | 4/1/1976          | Bare Steel                         | Fiberglass Reinforced Plastic | High Level Alarm,<br>Flapper Valve (Auto<br>Shutoff) |
| <b>3796</b>      |     |                   | Impressed Current                  | None                          | Yes  |
| Currently in Use |     |                   | Mechanical Line Leak Detector      | Pressurized                   | Impressed Current                                    |
| Diesel           |     | 9/22/2014         | Automatic Tank Gauging 0.2         | MLLD Line Tightness Testing   |  |
| 10,000           |     | 9/22/2014         | TLS-350/Gilbarco EMC , Veeder Root |                               |  |
| 2                | 39  | 4/26/1976         | Bare Steel                         | Fiberglass Reinforced Plastic | High Level Alarm,<br>Flapper Valve (Auto<br>Shutoff) |
| <b>3795</b>      |     |                   | Impressed Current                  | None                          | Yes  |
| Currently in Use |     |                   | Mechanical Line Leak Detector      | Pressurized                   | Impressed Current                                    |
| Gasoline         |     | 9/22/2014         | Automatic Tank Gauging 0.2         | MLLD Line Tightness Testing   |  |
| 10,000           |     | 9/22/2014         | TLS-350/Gilbarco EMC , Veeder Root |                               |  |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** FLYING J INC BELGRADE  
6505 JACKRABBIT LN  
BELGRADE, MT 59714 GALLATIN

**Sys Fac ID:** 16-05753  
**Last Inspected On:** 9/22/2014  
**Operating Permit Renewal Date:** 12/17/2017

**Contact:** Damon Borden, (509) 534-1502

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material  | Overfill Types                                 |
|------------------|-----|-------------------|------------------------------------|--|--|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option   | Spill Protected                                |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type  | CP Met Types                                   |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection                                       | Vapor Recovery                                 |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection                                     | Energy Act                                     |
| 3                | 39  | 4/26/1976         | Bare Steel                         | Fiberglass Reinforced Plastic                                | High Level Alarm                               |
| <b>3797</b>      |     |                   | Impressed Current                  | None   | Yes  |
| Currently in Use |     |                   | Electronic Line Leak Detector      | Pressurized  | Impressed Current                              |
| Diesel           |     | 9/22/2014         | Automatic Tank Gauging 0.2         | Automatic Tank Gauging 0.2                                   |  |
| 28,000           |     | 9/2/2014          | TLS-350/Gilbarco EMC , Veeder Root | Continuous Interstitial Monitor, ELLD Line Tightness Testing |  |
| 4                | 39  | 4/26/1976         | Bare Steel                         | Flexible Plastic   | High Level Alarm, Flapper Valve (Auto Shutoff) |
| <b>3793</b>      |     |                   | Impressed Current                  | Double-Walled  | Yes  |
| Currently in Use |     |                   | Mechanical Line Leak Detector      | Pressurized  | Impressed Current                              |
| Gasoline         |     | 9/22/2014         | Automatic Tank Gauging 0.2         | MLLD Line Tightness Testing                                  |  |
| 28,000           |     | 9/22/2014         | TLS-350/Gilbarco EMC , Veeder Root |  |  |
| 5                | 39  | 4/26/1976         | Bare Steel                         | Flexible Plastic   | High Level Alarm                               |
| <b>3794</b>      |     |                   | Impressed Current                  | Double-Walled  | Yes  |
| Currently in Use |     |                   | Electronic Line Leak Detector      | Pressurized  | Impressed Current                              |
| Diesel           |     | 9/22/2014         | Automatic Tank Gauging 0.2         | Automatic Tank Gauging 0.2                                   |  |
| 28,000           |     | 9/4/2014          | TLS-350/Gilbarco EMC , Veeder Root | Continuous Interstitial Monitor, ELLD Line Tightness Testing |  |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** TOWN PUMP INC BELGRADE 3  
305 E MAIN ST  
BELGRADE, MT 59714 GALLATIN

**Sys Fac ID:** 16-07788

**Last Inspected On:** 2/9/2015

**Operating Permit Renewal Date:** 5/31/2018

**Contact:** Trent Biggers, (406) 497-6700

**Owners/Operators:** Great Falls Holdings LLC, Owner (406)-497-6700 PO BOX 6000  
BUTTE MT 59702-6000

Trent Biggers, UST Class A Operator  
Daniel Sampson, UST Class A Operator  
Trent Biggers, UST Class B Global Operator  
Daniel Sampson, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|---|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0  | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection  | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection  | Energy Act       |
| 7                | 10  | 8/29/2005         | Fiberglass Reinforced Plastic   | Flexible Plastic  | Ball Float Valve |
| <b>5016</b>      |     |                   | Double-Walled   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |                  |
| 10,000           |     | 9/11/2005         | TLS-350/Gilbarco EMC , Veeder Root  |   |                  |
| 8                | 10  | 8/29/2005         | Fiberglass Reinforced Plastic   | Flexible Plastic  | Ball Float Valve |
| <b>5017</b>      |     |                   | Double-Walled   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |                  |
| 8,000            |     | 9/11/2005         | TLS-350/Gilbarco EMC , Veeder Root  |   |                  |
| 9                | 10  | 8/29/2005         | Fiberglass Reinforced Plastic   | Flexible Plastic  | Ball Float Valve |
| <b>5026</b>      |     |                   | Double-Walled   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |                  |
| 20,000           |     | 9/11/2005         | TLS-350/Gilbarco EMC , Veeder Root  |   |                  |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** ROCKY MOUNTAIN SUPPLY INC BELGRADE  
350 JACKRABBIT LN  
BELGRADE, MT 59714 GALLATIN  
**Contact:** (406) 388-4008

**Sys Fac ID:** 16-12101  
**Last Inspected On:** 12/18/2014  
**Operating Permit Renewal Date:** 2/26/2018

**Owners/Operators:** Rocky Mountain Supply Inc, Owner (406)-388-4008 JASON RORABAUGH PETROLEUM MGR  
PO BOX 129  
BELGRADE MT 59714-3035  
Jason Rorabaugh, UST Class A Operator  
Jerrod Eller, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material   | Overfill Types               |
|------------------|-----|-------------------|--|---|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option  | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection                                  | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection                                | Energy Act                   |
| 1                | 25  | 9/20/1990         | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic                           | Flapper Valve (Auto Shutoff) |
| 1189             |     |                   | None   | None  | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Galvanic                     |
| Gasoline         |     | 12/13/2014        | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, ELLD Line Tightness Testing |                              |
| 12,000           |     | 10/10/2011        | TLS-350/Gilbarco EMC , Veeder Root                     |   |                              |
| 2                | 25  | 9/20/1990         | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic                           | Flapper Valve (Auto Shutoff) |
| 1190             |     |                   | None   | None  | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Galvanic                     |
| Gasoline         |     | 12/13/2014        | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, ELLD Line Tightness Testing |                              |
| 20,000           |     | 5/17/2011         | TLS-350/Gilbarco EMC , Veeder Root                     |   |                              |
| 3                | 25  | 9/20/1990         | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic                           | Flapper Valve (Auto Shutoff) |
| 1191             |     |                   | None   | None  | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Galvanic                     |
| Diesel           |     | 12/13/2014        | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, ELLD Line Tightness Testing |                              |
| 12,000           |     | 10/12/2011        | TLS-350/Gilbarco EMC , Veeder Root                     |   |                              |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** ROCKY MOUNTAIN SUPPLY INC BELGRADE  
 350 JACKRABBIT LN  
 BELGRADE, MT 59714 GALLATIN  
**Contact:** (406) 388-4008

**Sys Fac ID:** 16-12101  
**Last Inspected On:** 12/18/2014  
**Operating Permit Renewal Date:** 2/26/2018

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material   | Overfill Types               |
|------------------|-----|-------------------|--|---|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option  | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection                                  | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection                                | Energy Act                   |
| 4                | 25  | 9/20/1990         | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic                           | Flapper Valve (Auto Shutoff) |
| <b>1192</b>      |     |                   | None   | None  | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Galvanic                     |
| Diesel           |     | 12/13/2014        | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, ELLD Line Tightness Testing |                              |
| 20,000           |     | 10/14/2011        | TLS-350/Gilbarco EMC , Veeder Root                     |   |                              |
| 5                | 12  | 10/24/2003        | Fiberglass Reinforced Plastic                          | Fiberglass Reinforced Plastic                           | Ball Float Valve             |
| <b>4867</b>      |     |                   | None   | Double-Walled   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Not Applicable               |
| Diesel           |     | 12/13/2014        | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, ELLD Line Tightness Testing |                              |
| 8,000            |     | 10/26/2011        | TLS-350/Gilbarco EMC , Veeder Root                     | Continuous Interstitial Monitor                         |                              |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** GALLATIN FIELD CARDLOCK  
GALLATIN FIELD  
BELGRADE, MT 59714 GALLATIN

**Sys Fac ID:** 16-12952

**Last Inspected On:** 6/27/2013

**Operating Permit Renewal Date:** 7/22/2016

**Contact:** Jason Shanley, (406) 587-0702

**Owners/Operators:** Story Distributing Co, Owner (406)-587-0702 PO BOX 1201  
BOZEMAN MT 59771-1201  
Jason Shanley, UST Class A Operator  
Jason Shanley, UST Class B Operator  
Kelly Scott Shutes, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material               | Overfill Types  |
|------------------|-----|-------------------|-------------------------------|-------------------------------|-----------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option              | Spill Protected |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                   | CP Met Types    |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection        | Vapor Recovery  |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection      | Energy Act      |
| 1                | 23  | 11/1/1992         | Bare Steel                    | Fiberglass Reinforced Plastic |                 |
| 2032             | Yes |                   | None                          | None                          | Yes             |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Not Applicable  |
| Gasoline         |     |                   | Deferred                      | MLLD Line Tightness Testing   |                 |
| 4,000            |     | 6/27/2013         |                               |                               |                 |



## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** TOWN PUMP INC BELGRADE  
203 W JEFFERSON AVE  
BELGRADE, MT 59714 GALLATIN

**Sys Fac ID:** 16-13625

**Last Inspected On:** 7/3/2015

**Operating Permit Renewal Date:** 10/27/2018

**Contact:** Kevin Kenneally, (406) 388-0129

**Owners/Operators:** Belgrade Town Pump Inc, Owner

600 S MAIN ST  
BUTTE MT 59701-2534

Trent Biggers, UST Class A Operator

Trent Biggers, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|---|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0  | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection  | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection  | Energy Act       |
| 1                | 20  | 5/1/1995          | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Ball Float Valve |
| <b>2454</b>      |     |                   | Double-Walled   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector   | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Yes              |
| 10,000           |     | 6/30/2015         | TLS-350/Gilbarco EMC , Veeder Root  |   |                  |
| 2                | 20  | 5/1/1995          | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Ball Float Valve |
| <b>2455</b>      |     |                   | Double-Walled   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector   | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Yes              |
| 10,000           |     | 6/30/2015         | TLS-350/Gilbarco EMC , Veeder Root  |   |                  |
| 3                | 20  | 5/1/1995          | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Ball Float Valve |
| <b>2456</b>      |     |                   | Double-Walled   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Continuous Interstitial Monitoring  | U.S. Suction  | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Yes              |
| 10,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  |   |                  |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** TOWN PUMP INC BELGRADE  
203 W JEFFERSON AVE  
BELGRADE, MT 59714 GALLATIN

**Contact:** Kevin Kenneally, (406) 388-0129

**Sys Fac ID:** 16-13625  
**Last Inspected On:** 7/3/2015  
**Operating Permit Renewal Date:** 10/27/2018

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|---|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0  | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection  | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection  | Energy Act       |
| 4                | 20  | 5/1/1995          | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Ball Float Valve |
| <b>4371</b>      |     |                   | Double-Walled   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector   | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Yes              |
| 12,000           |     | 6/30/2015         | TLS-350/Gilbarco EMC , Veeder Root  |   |                  |
| 5                | 20  | 5/1/1995          | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Ball Float Valve |
| <b>2458</b>      |     |                   | Double-Walled   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector   | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |                  |
| 12,000           |     | 6/30/2015         | TLS-350/Gilbarco EMC , Veeder Root  |   |                  |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** QWEST COMMUNICATIONS  
95 N BROADWAY  
BELGRADE, MT 59714 GALLATIN

**Sys Fac ID:** 56-13996

**Last Inspected On:** 10/28/2014

**Operating Permit Renewal Date:** 3/14/2018

**Contact:** Kevin Robison, (801) 237-3006

|   |                |  |
|---|----------------|--|
| <b>Owners/Operators:</b> Qwest Corporation, Owner | (801)-237-3006 | 250 E 200 S #1601<br>SALT LAKE CITY UT 84111 |
| Qwest Corporation, Operator                       | (801)-237-3006 | 250 E 200 S #1601<br>SALT LAKE CITY UT 84111 |
| Thomas J Pitts, UST Class A Operator              |                |  |
| Kevin Robison, UST Class A Operator               |                |  |
| Thomas J Pitts, UST Class B Operator              |                |  |
| Thomas J Pitts, UST Class B Global Operator       |                |  |
| Kevin Robison, UST Class B Global Operator        |                |  |

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material             | Overfill Types               |
|------------------|-----|-------------------|---|-----------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option            | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0  | Piping Type                 | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection      | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection    | Energy Act                   |
| 1                | 14  | 11/1/2001         | Fiberglass Reinforced Plastic   | Flexible Plastic            | Flapper Valve (Auto Shutoff) |
| <b>4266</b>      |     |                   | Double-Walled   | Double-Walled               | Yes                          |
| Currently in Use |     |                   | Auto Dialer   | U.S. Suction                | Not Applicable               |
| Diesel           |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor | MLLD Line Tightness Testing |                              |
| 1,000            |     | 10/6/2015         | TLS-300 , Veeder Root   |                             |                              |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** BELGRADE CARD LOCK  
163 THUNDER RD  
BELGRADE, MT 59714 GALLATIN

**Sys Fac ID:** 56-14162

**Last Inspected On:** 1/9/2015

**Operating Permit Renewal Date:** 3/16/2018

**Contact:** Gary Scales, (406) 587-7438

**Owners/Operators:** Story Distributing Company, Owner (406)-587-0702 PO BOX 1201  
BOZEMAN MT 59771  
Jason Shanley, Operator (406)-587-0702 PO BOX 1201  
BOZEMAN MT 59771-1201  
Jason Shanley, UST Class A Operator  
Jason Shanley, UST Class B Global Operator  
Kelly Scott Shutes, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|--|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection                                      | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection                                    | Energy Act       |
| 1                | 10  | 9/5/2005          | Fiberglass Reinforced Plastic                          | Flexible Plastic  | Ball Float Valve |
| <b>4999</b>      |     |                   | None   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 12,000           |     |                   | Gilbarco EMC Basic , Gilbarco                          |   |                  |
| 2                | 10  | 9/5/2005          | Fiberglass Reinforced Plastic                          | Flexible Plastic  | Ball Float Valve |
| <b>5000</b>      |     |                   | None   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 20,000           |     |                   | Gilbarco EMC Basic , Gilbarco                          |   |                  |
| 3                | 10  | 9/5/2005          | Fiberglass Reinforced Plastic                          | Flexible Plastic  | Ball Float Valve |
| <b>5001</b>      |     |                   | None   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 12,000           |     |                   | Gilbarco EMC Basic , Gilbarco                          |   |                  |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** BELGRADE CARD LOCK  
163 THUNDER RD  
BELGRADE, MT 59714 GALLATIN  
**Contact:** Gary Scales, (406) 587-7438

**Sys Fac ID:** 56-14162  
**Last Inspected On:** 1/9/2015  
**Operating Permit Renewal Date:** 3/16/2018

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|--|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection                                      | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection                                    | Energy Act       |
| 4                | 10  | 9/5/2005          | Fiberglass Reinforced Plastic                          | Flexible Plastic  | Ball Float Valve |
| <b>5002</b>      |     |                   | None   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 8,000            |     |                   | Gilbarco EMC Basic , Gilbarco                          |   |                  |
| 5                | 10  | 9/16/2005         | Fiberglass Reinforced Plastic                          | Flexible Plastic  | Ball Float Valve |
| <b>5003</b>      |     |                   | None   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 15,000           |     |                   | Gilbarco EMC Basic , Gilbarco                          |   |                  |
| 6                | 10  | 9/5/2005          | Fiberglass Reinforced Plastic                          | Flexible Plastic  | Ball Float Valve |
| <b>5004</b>      |     |                   | None   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 6,000            |     |                   | Gilbarco EMC Basic , Gilbarco                          |   |                  |
| 7                | 10  | 9/5/2005          | Fiberglass Reinforced Plastic                          | Flexible Plastic  | Ball Float Valve |
| <b>5063</b>      |     |                   | None   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 20,000           |     |                   | Gilbarco EMC Basic , Gilbarco                          |   |                  |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** TOWN PUMP INC BELGRADE 2  
691 JACKRABBIT LN  
BELGRADE, MT 59714 GALLATIN

**Sys Fac ID:** 60-15008

**Last Inspected On:** 2/9/2015

**Operating Permit Renewal Date:** 5/31/2018

**Contact:** (406) 388-7060

**Owners/Operators:** Great Falls Holdings LLC, Owner (406)-497-6700 PO BOX 6000  
BUTTE MT 59702-6000

Trent Biggers, UST Class A Operator  
Daniel Sampson, UST Class A Operator  
Trent Biggers, UST Class B Global Operator  
Daniel Sampson, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material   | Overfill Types                     |
|------------------|-----|-------------------|---|---|------------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option  | Spill Protected                    |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0  | Piping Type   | CP Met Types                       |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection  | Vapor Recovery                     |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection  | Energy Act                         |
| 1                | 10  | 9/20/2005         | Fiberglass Reinforced Plastic   | Flexible Plastic  | Positive Shutoff, Ball Float Valve |
| <b>5019</b>      |     |                   | Double-Walled   | Double-Walled   | Yes                                |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable                     |
| Gasoline         |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Yes                                |
| 25,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  |   |                                    |
| 2                | 10  | 9/20/2005         | Fiberglass Reinforced Plastic   | Flexible Plastic  | Ball Float Valve                   |
| <b>5020</b>      |     |                   | Double-Walled   | Double-Walled   | Yes                                |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable                     |
| Diesel           |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |                                    |
| 8,000            |     |                   | TLS-350/Gilbarco EMC , Veeder Root  |   |                                    |
| 3                | 10  | 9/20/2005         | Fiberglass Reinforced Plastic   | Flexible Plastic  | Ball Float Valve                   |
| <b>5021</b>      |     |                   | Double-Walled   | Double-Walled   | Yes                                |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable                     |
| Diesel           |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |                                    |
| 10,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  |   |                                    |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** TOWN PUMP INC BELGRADE 2  
691 JACKRABBIT LN  
BELGRADE, MT 59714 GALLATIN  
**Contact:** (406) 388-7060

**Sys Fac ID:** 60-15008  
**Last Inspected On:** 2/9/2015  
**Operating Permit Renewal Date:** 5/31/2018

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material   | Overfill Types                     |
|------------------|-----|-------------------|---|---|------------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option  | Spill Protected                    |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0  | Piping Type   | CP Met Types                       |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection  | Vapor Recovery                     |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection  | Energy Act                         |
| 4                | 10  | 9/20/2005         | Fiberglass Reinforced Plastic   | Flexible Plastic  | Positive Shutoff, Ball Float Valve |
| <b>5022</b>      |     |                   | Double-Walled   | Double-Walled   | Yes                                |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable                     |
| Gasoline         |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |                                    |
| 15,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  |   |                                    |
| 5                | 10  | 9/20/2005         | Fiberglass Reinforced Plastic   | Flexible Plastic  | Ball Float Valve                   |
| <b>5023</b>      |     |                   | Double-Walled   | Double-Walled   | Yes                                |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable                     |
| Diesel           |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |                                    |
| 15,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  |   |                                    |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** GALLATIN FIELD AIRPORT  
633 GALLATIN FIELD RD  
BELGRADE, MT 59714 GALLATIN

**Sys Fac ID:** 60-15152

**Last Inspected On:** 6/24/2013

**Operating Permit Renewal Date:** 7/3/2016

**Contact:** Jason Shawley, (406) 587-0702

**Owners/Operators:** Story Distributing Co, Owner (406)-587-0702 PO BOX 1201  
BOZEMAN MT 59771-1201  
Jason Shanley, UST Class A Operator  
Jason Shanley, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                               | Piping Material                 | Overfill Types   |
|------------------|-----|-------------------|---|---------------------------------|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option                | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                                  | Piping Type                     | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection          | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection        | Energy Act       |
| 1                | 05  | 4/13/2010         | Fiberglass Reinforced Plastic                               | Flexible Plastic                | Ball Float Valve |
| 5236             |     | 12/26/2012        | Double-Walled   | Double-Walled                   | Yes              |
| Currently in Use |     |                   | Continuous Interstitial Monitoring                          | Not Listed                      | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor | Continuous Interstitial Monitor |                  |
| 12,000           |     |                   |   |                                 | Yes              |



## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** TOWN PUMP INC BELGRADE 4  
561 BUSINESS HUB DRIVE  
BELGRADE, MT 59714 GALLATIN

**Sys Fac ID:** 60-15245

**Last Inspected On:** 1/5/2015

**Operating Permit Renewal Date:** 1/22/2018

**Contact:** Charlie Armstrong, (406) 497-6700

**Owners/Operators:** Town and Country Supply and Management, Owner (406)-497-6700 PO BOX 6000  
BUTTE MT 59702-6000  
Trent Biggers, UST Class A Operator  
Trent Biggers, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material  | Overfill Types   |
|------------------|-----|-------------------|---|--|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option   | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0  | Piping Type  | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection                                     | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection                                   | Energy Act       |
| 1                | 01  | 4/14/2014         | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic                              | Positive Shutoff |
| <b>5484</b>      |     | 6/3/2014          | Double-Walled   | Double-Walled  | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized  | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Stat. Inventory Reconciliation, Approved Remote Monitoring |                  |
| 30,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  | Continuous Interstitial Monitor, Not Listed                |                  |
| 2                | 01  | 4/14/2014         | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic                              | Positive Shutoff |
| <b>5485</b>      |     | 6/3/2014          | Double-Walled   | Double-Walled  | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized  | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.1, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Stat. Inventory Reconciliation, Approved Remote Monitoring |                  |
| 30,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  | Continuous Interstitial Monitor, Not Listed                |                  |
| 3                | 01  | 4/14/2014         | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic                              | Positive Shutoff |
| <b>5486</b>      |     | 6/3/2014          | Double-Walled   | Double-Walled  | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized  | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Stat. Inventory Reconciliation, Approved Remote Monitoring |                  |
| 30,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  | Continuous Interstitial Monitor, Not Listed                |                  |

## Facility Summary in GALLATIN County in the City of BELGRADE

**Location:** TOWN PUMP INC BELGRADE 4  
561 BUSINESS HUB DRIVE  
BELGRADE, MT 59714 GALLATIN

**Sys Fac ID:** 60-15245

**Last Inspected On:** 1/5/2015

**Operating Permit Renewal Date:** 1/22/2018

**Contact:** Charlie Armstrong, (406) 497-6700

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|---|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0  | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection  | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection  | Energy Act       |
| 4                | 01  | 4/14/2014         | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Positive Shutoff |
| <b>5487</b>      |     | 6/3/2014          | Double-Walled   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |                  |
| 30,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  | Continuous Interstitial Monitor, Not Listed   |                  |
| 5                | 01  | 4/14/2014         | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Positive Shutoff |
| <b>5488</b>      |     | 6/3/2014          | Double-Walled   | Double-Walled   | No               |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Vapor Monitoring, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring           | Stat. Inventory Reconciliation, Approved Remote Monitoring                                  |                  |
| 20,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  | Continuous Interstitial Monitor, Not Listed   |                  |
| 6                | 01  | 4/14/2014         | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Positive Shutoff |
| <b>5489</b>      |     | 6/3/2014          | Double-Walled   | Double-Walled   | No               |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Stat. Inventory Reconciliation, Approved Remote Monitoring                                  |                  |
| 10,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  | Continuous Interstitial Monitor, Not Listed   |                  |
| 7                | 01  | 4/14/2014         | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Positive Shutoff |
| <b>5490</b>      |     | 6/3/2014          | Double-Walled   | Double-Walled   | No               |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Stat. Inventory Reconciliation, Approved Remote Monitoring                                  |                  |
| 20,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  | Continuous Interstitial Monitor, Not Listed   |                  |

## Facility Summary in GALLATIN County in the City of BIG SKY

**Location:** BIG SKY CONOCO  
91 LONE MOUNTAIN TRL  
BIG SKY, MT 59716 GALLATIN  
**Contact:** Renae Schumacher, (406) 995-4275

**Sys Fac ID:** 16-03801  
**Last Inspected On:** 9/18/2013  
**Operating Permit Renewal Date:** 10/24/2016

**Owners/Operators:** Nevermore Inc, Owner (406)-995-4275 PO BOX 160640  
BIG SKY MT 59716-0640  
Renae Schumacher, UST Class A Operator  
Steve Schumacher, UST Class A Operator  
Dennis A Franks, UST Class B Operator  
Steve Schumacher, UST Class B Operator

| Tank Id                | Age | Installed         | Tank Material of Construction | Piping Material   | Overfill Types               |
|------------------------|-----|-------------------|-------------------------------|---|------------------------------|
| Tag Number             | AST | Sump Tightness    | Secondary Option              | Secondary Option  | Spill Protected              |
| Status                 |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type   | CP Met Types                 |
| Product                |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection                                      | Vapor Recovery               |
| Capacity               |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection                                    | Energy Act                   |
| 6                      | 18  | 5/1/1997          | Cathodically Protected Steel  | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>3155</b>            |     |                   | None                          | Double-Walled   | Yes                          |
| Currently in Use       |     |                   | Electronic Line Leak Detector | Pressurized   | Galvanic                     |
| Gasoline               |     | 9/10/2013         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                              |
| 12,000                 |     |                   | TLS-300 , Veeder Root         |   |                              |
| 7                      | 18  | 5/1/1997          | Cathodically Protected Steel  | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>3156</b>            |     |                   | None                          | Double-Walled   | Yes                          |
| Currently in Use       |     |                   | Electronic Line Leak Detector | Pressurized   | Galvanic                     |
| Gasoline               |     | 9/10/2013         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                              |
| 12,000                 |     |                   | TLS-300 , Veeder Root         |   |                              |
| 8                      | 18  | 5/1/1997          | Cathodically Protected Steel  | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>3157</b>            |     |                   | None                          | Double-Walled   | Yes                          |
| Temporarily Out of Use |     |                   | Not Required                  | U.S. Suction  | Galvanic                     |
| Diesel                 |     | 9/10/2013         | Automatic Tank Gauging 0.2    | Continuous Interstitial Monitor                             |                              |
| 1,000                  |     |                   |                               |   |                              |

## Facility Summary in GALLATIN County in the City of BIG SKY

**Location:** BIG SKY CONOCO  
 91 LONE MOUNTAIN TRL  
 BIG SKY, MT 59716 GALLATIN  
**Contact:** Renae Schumacher, (406) 995-4275

**Sys Fac ID:** 16-03801  
**Last Inspected On:** 9/18/2013  
**Operating Permit Renewal Date:** 10/24/2016

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material                        | Overfill Types   |
|------------------|-----|-------------------|-------------------------------|--|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option                       | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                            | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection                 | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection               | Energy Act       |
| 9                | 14  | 6/1/2001          | Fiberglass Reinforced Plastic | Flexible Plastic                       | Ball Float Valve |
| 4488             |     |                   | None                          | Double-Walled                          | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized                            | Not Applicable   |
| Diesel           |     | 9/10/2013         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous |                  |
|                  |     |                   |                               | Interstitial Monitor                   |                  |
| 2,500            |     |                   | TLS-300 , Veeder Root         |  |                  |

## Facility Summary in GALLATIN County in the City of BIG SKY

**Location:** TOM GERRARD  
2300 N FORK RD  
BIG SKY, MT 59716 GALLATIN

**Sys Fac ID:** 16-13672

**Last Inspected On:** 11/1/2013

**Operating Permit Renewal Date:** 12/6/2016

**Contact:** Scott Hammond, (406) 995-9100

**Owners/Operators:** William Tom Gerrard, Owner (406)-995-9100 PO BOX 160777  
BIG SKY MT 59716-0777

Jay Reader, UST Class A Operator

Dennis A Franks, UST Class B Global Operator

Jay Reader, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                               | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|---|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                                  | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection        | Energy Act                   |
| 1                | 20  | 9/1/1995          | Fiberglass Reinforced Plastic                               | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>3936</b>      |     | 12/20/2012        | Double-Walled   | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Continuous Interstitial Monitoring                          | Pressurized                     | Not Applicable               |
| Diesel           |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor | Continuous Interstitial Monitor |                              |
| 1,000            |     |                   |   |                                 |                              |
| 2                | 17  | 10/1/1998         | Fiberglass Reinforced Plastic                               | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>3726</b>      |     |                   | Double-Walled   | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Not Required  | Safe Suction                    | Not Applicable               |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor | Continuous Interstitial Monitor |                              |
| 1,000            |     |                   |   |                                 |                              |

## Facility Summary in GALLATIN County in the City of BIG SKY

**Location:** WARREN MILLER LODGE  
ONE YELLOWSTONE CLUB TRAIL  
BIG SKY, MT 59716 GALLATIN

**Sys Fac ID:** 60-15020

**Last Inspected On:** 9/16/2014

**Operating Permit Renewal Date:** 9/22/2017

**Contact:** Rocky Nelson, (406) 995-4860

**Owners/Operators:** Yellowstone Club, Owner (406)-995-4860 PO BOX 161097  
BIG SKY MT 59716-1097  
Rocky Nelson, Operator (406)-995-4860 ADDRESS UNKNOWN  
BIG SKY MT 59716  
Rocky Nelson, UST Class A Operator  
Dan Nitsche, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                               | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|---|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                                  | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection        | Energy Act                   |
| 1                | 10  | 11/1/2005         | Steel Clad  | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| 5055             |     | 9/16/2014         | Double-Walled   | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Not Required  | U.S. Suction                    | Not Applicable               |
| Diesel           |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor | Continuous Interstitial Monitor |                              |
| 2,000            |     |                   | EECO 1500 , EMCO Electronics                                |                                 |                              |

## Facility Summary in GALLATIN County in the City of BIG SKY

**Location:** WATERMARK HOME  
341 ANDESITE RIDGE ROAD  
BIG SKY, MT 59716 GALLATIN

**Sys Fac ID:** 60-15032

**Last Inspected On:** 9/3/2013

**Operating Permit Renewal Date:** 1/11/2017

**Contact:** Bill Rode, (406) 209-1400

**Owners/Operators:** Watermark Services, Owner

(406)-209-1400

BILL RODE  
PO BOX 161864  
BIG SKY MT 59716-1864

Edd Gryder, UST Class A Operator

Edd Gryder, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                               | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|---|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                                  | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection        | Energy Act                   |
| 1                | 09  | 10/24/2006        | Fiberglass Reinforced Plastic                               | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| 5133             |     | 9/3/2013          | Double-Walled   | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Auto Dialer   | U.S. Suction                    | Not Applicable               |
| Diesel           |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor | Continuous Interstitial Monitor |                              |
| 3,000            |     |                   |   |                                 |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** COLLEGE EXXON SERVICE STATION  
723 S 8TH AVE  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-00472

**Last Inspected On:** 10/15/2015

**Operating Permit Renewal Date:** 2/25/2019

**Contact:** Harold Sappington, (406) 587-4453

**Owners/Operators:** College Chevron of Bozeman Inc, Owner (406)-587-4453 723 S 8TH AVE  
BOZEMAN MT 59715-4414  
David Lapinski, UST Class A Operator  
David Lapinski, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|--|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection        | Energy Act                   |
| 6                | 17  | 4/1/1998          | Cathodically Protected Steel                           | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>694</b>       |     | 10/1/2015         | None   | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Continuous Interstitial Monitoring                     | Pressurized                     | Galvanic                     |
| Gasoline         |     | 10/1/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Continuous Interstitial Monitor |                              |
| 6,000            |     |                   | TLS-300 , Veeder Root                                  |                                 |                              |
| 7                | 17  | 4/1/1998          | Cathodically Protected Steel                           | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>695</b>       |     | 10/1/2015         | None   | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Continuous Interstitial Monitoring                     | Pressurized                     | Galvanic                     |
| Gasoline         |     | 10/1/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Continuous Interstitial Monitor |                              |
| 4,000            |     |                   | TLS-300 , Veeder Root                                  |                                 |                              |



## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** Willie J Figgins  
1404 BOHART LN  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-00543

**Last Inspected On:** 5/7/2015

**Operating Permit Renewal Date:** 8/30/2018

**Contact:** (406) 586-3372

**Owners/Operators:** Willie J Figgins, Owner (406)-586-3372 1404 BOHART LN  
BOZEMAN MT 59715-2413  
Robert Figgins, UST Class A Operator  
Robert Figgins, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material               | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|-------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option              | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection        | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection      | Energy Act                   |
| 3                | 21  | 3/11/1994         | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>1060</b>      |     |                   | Double-Walled                 | None                          | Yes                          |
| Currently in Use |     |                   | Not Required                  | Safe Suction                  | Galvanic                     |
| Diesel           |     | 5/7/2015          | Manual Interstitial Monitor   | Not Listed                    |                              |
| 1,000            |     |                   |                               |                               |                              |
| 5                | 21  | 3/11/1994         | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>1059</b>      |     |                   | Double-Walled                 | None                          | Yes                          |
| Currently in Use |     |                   | Not Required                  | Safe Suction                  | Galvanic                     |
| Gasoline         |     | 5/7/2015          | Manual Interstitial Monitor   | Not Listed                    |                              |
| 1,000            |     |                   |                               |                               |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** WILLIAMS PUMP & PAK INC  
2020 N 7TH AVE  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-00758

**Last Inspected On:** 9/15/2014

**Operating Permit Renewal Date:** 11/6/2017

**Contact:** Alan Williams, (406) 587-0485

**Owners/Operators:** Williams Pump & Pak Inc, Owner (406)-587-0485 2020 N 7TH AVE  
BOZEMAN MT 59715-2516  
Alan Williams, UST Class A Operator  
Alan Williams, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection        | Energy Act                   |
| 4                | 18  | 6/1/1997          | Cathodically Protected Steel  | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>2275</b>      |     |                   | None                          | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized                     | Galvanic                     |
| Gasoline         |     | 9/22/2014         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2      |                              |
| 8,000            |     |                   | TLS-300 , Veeder Root         | Continuous Interstitial Monitor |                              |
| 5                | 18  | 6/1/1997          | Cathodically Protected Steel  | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>2276</b>      |     |                   | None                          | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized                     | Galvanic                     |
| Gasoline         |     | 9/22/2014         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2      |                              |
| 12,000           |     |                   | TLS-300 , Veeder Root         | Continuous Interstitial Monitor |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** GRANTREE CONOCO  
1417 N 7TH AVE  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-01254

**Last Inspected On:** 9/26/2013

**Operating Permit Renewal Date:** 12/24/2016

**Contact:** Jacob Marks, (406) 587-0651

**Owners/Operators:** Grantree Conoco, Owner (406)-587-5261 1417 N 7TH AVE  
BOZEMAN MT 59715-2513

Missy Tallman, UST Class A Operator

Jacob Marks, UST Class B Operator

Missy Tallman, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|-------------------------------|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection                                      | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection                                    | Energy Act       |
| 5                | 20  | 9/1/1995          | Fiberglass Reinforced Plastic | Flexible Plastic  | Ball Float Valve |
| <b>3299</b>      |     |                   | None                          | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 12,000           |     |                   |                               |   |                  |
| 6                | 20  | 9/1/1995          | Fiberglass Reinforced Plastic | Flexible Plastic  | Ball Float Valve |
| <b>3300</b>      |     |                   | None                          | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 12,000           |     |                   |                               |   |                  |
| 7                | 20  | 9/1/1995          | Fiberglass Reinforced Plastic | Flexible Plastic  | Ball Float Valve |
| <b>3301</b>      |     |                   | None                          | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 8,000            |     |                   |                               |   |                  |
| 8                | 20  | 9/1/1995          | Fiberglass Reinforced Plastic | Flexible Plastic  | Ball Float Valve |
| <b>3302</b>      |     |                   | None                          | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 4,000            |     |                   |                               |   |                  |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** BRIDGER BOWL INC  
15795 BRIDGER CANYON RD  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-01793

**Last Inspected On:** 9/8/2015

**Operating Permit Renewal Date:** 10/1/2018

**Contact:** Robert Allen, (406) 587-2111

**Owners/Operators:** Bridger Bowl Inc, Owner (406)-587-2111 15795 BRIDGER CANYON RD  
BOZEMAN MT 59715-8282

Robert Allen, UST Class A Operator  
Daniel Doebling, UST Class A Operator  
Daniel Doebling, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection        | Energy Act                   |
| 5                | 20  | 11/1/1995         | Cathodically Protected Steel  | Flexible Plastic                |                              |
| <b>491</b>       |     |                   | None                          | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Not Required                  | U.S. Suction                    | Galvanic                     |
| Diesel           |     | 8/11/2015         | Deferred                      | Deferred                        |                              |
| 100              |     |                   |                               |                                 |                              |
| 8                | 17  | 10/30/1998        | Cathodically Protected Steel  | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>492</b>       |     |                   | Double-Walled                 | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Not Required                  | Safe Suction                    | Galvanic                     |
| Diesel           |     | 8/11/2015         | Manual Interstitial Monitor   | Continuous Interstitial Monitor |                              |
| 2,000            |     |                   |                               |                                 |                              |
| 9                | 17  | 10/30/1998        | Cathodically Protected Steel  | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>493</b>       |     |                   | Double-Walled                 | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Not Required                  | Safe Suction                    | Galvanic                     |
| Gasoline         |     | 8/11/2015         | Manual Interstitial Monitor   | Continuous Interstitial Monitor |                              |
| 1,000            |     |                   |                               |                                 |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** PHILLIPS 66 BOZEMAN TERMINAL  
318 W GRIFFIN DR  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-01844

**Last Inspected On:** 7/10/2014

**Operating Permit Renewal Date:** 10/31/2017

**Contact:** Steve Thomas, (406) 441-4747

|   |  |
|---|--|
| <b>Owners/Operators:</b> Phillips 66 Bozeman Terminal, Owner<br><br>Phillips 66 Pipeline LLC, Operator<br><br>Brian Buckley, UST Class A Operator<br>CHARLES HEINAMAN, UST Class A Operator<br>Chase Keith, UST Class A Operator<br>Ryan Norwood, UST Class A Operator<br>John Stampfli, UST Class A Operator<br>Steve Thomas, UST Class A Operator<br>Earl Anderson, UST Class B Operator<br>Brian Buckley, UST Class B Operator<br>Theodore Hagemo, UST Class B Operator<br>Ryan Norwood, UST Class B Operator<br>Clifford Pearce, UST Class B Operator<br>Steven Sheldon, UST Class B Operator<br>Steve Thomas, UST Class B Operator<br>Michael Crawford, UST Class B Global Operator<br>CHARLES HEINAMAN, UST Class B Global Operator<br>Chase Keith, UST Class B Global Operator<br>Richard Leeds, UST Class B Global Operator<br>Jeb Pedrazzi, UST Class B Global Operator<br>John Stampfli, UST Class B Global Operator<br>Dane Whittaker, UST Class B Global Operator | (406)-255-5714 2626 LILLIAN AVENUE<br>BILLINGS MT 59101<br><br>(406)-255-5714 2626 LILLIAN AVENUE<br>BILLINGS MT 59101 |
|---|--|

| Tank Id    | Age | Installed         | Tank Material of Construction | Piping Material          | Overfill Types  |
|------------|-----|-------------------|-------------------------------|--------------------------|-----------------|
| Tag Number | AST | Sump Tightness    | Secondary Option              | Secondary Option         | Spill Protected |
| Status     |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type              | CP Met Types    |
| Product    |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection   | Vapor Recovery  |
| Capacity   |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection | Energy Act      |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** PHILLIPS 66 BOZEMAN TERMINAL  
318 W GRIFFIN DR  
BOZEMAN, MT 59715 GALLATIN  
**Contact:** Steve Thomas, (406) 441-4747

**Sys Fac ID:** 16-01844  
**Last Inspected On:** 7/10/2014  
**Operating Permit Renewal Date:** 10/31/2017

| Tank Id                | Age | Installed         | Tank Material of Construction | Piping Material             | Overfill Types                       |
|------------------------|-----|-------------------|-------------------------------|-----------------------------|--------------------------------------|
| Tag Number             | AST | Sump Tightness    | Secondary Option              | Secondary Option            | Spill Protected                      |
| Status                 |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                 | CP Met Types                         |
| Product                |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection      | Vapor Recovery                       |
| Capacity               |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection    | Energy Act                           |
| 12                     | 61  | 1/1/1955          | Unknown                       | Steel - Terminal Piping     |                                      |
| <b>715</b>             | Yes |                   | None                          | None                        | Yes                                  |
| Currently in Use       |     |                   | Not Required                  | Pressurized                 | Not Applicable,<br>Impressed Current |
| Gasoline               |     | 5/23/2014         | Deferred                      | MLLD Line Tightness Testing |                                      |
| 840,000                |     | 6/26/2014         |                               |                             |                                      |
| 14                     | 61  | 1/1/1955          | Unknown                       | Steel - Terminal Piping     |                                      |
| <b>717</b>             | Yes |                   | None                          | None                        | Yes                                  |
| Currently in Use       |     |                   | Not Required                  | Pressurized                 | Not Applicable,<br>Impressed Current |
| Gasoline               |     | 5/23/2014         | Deferred                      | MLLD Line Tightness Testing |                                      |
| 840,000                |     | 6/26/2014         |                               |                             |                                      |
| 17                     | 50  | 1/1/1966          | Unknown                       | Steel - Terminal Piping     |                                      |
| <b>722</b>             | Yes |                   | None                          | None                        | Yes                                  |
| Temporarily Out of Use |     |                   | Not Required                  | Pressurized                 | Not Applicable,<br>Impressed Current |
| Gasoline               |     | 5/23/2014         | Deferred                      | MLLD Line Tightness Testing |                                      |
| 1,680,000              |     | 5/13/2011         |                               |                             |                                      |
| 18                     | 61  | 1/1/1955          | Unknown                       | Steel - Terminal Piping     |                                      |
| <b>716</b>             | Yes |                   | None                          | None                        | Yes                                  |
| Currently in Use       |     |                   | Not Required                  | Pressurized                 | Not Applicable,<br>Impressed Current |
| Diesel                 |     | 5/23/2014         | Deferred                      | MLLD Line Tightness Testing |                                      |
| 840,000                |     | 6/26/2014         |                               |                             |                                      |
| 20                     | 61  | 1/1/1955          | Unknown                       | Steel - Terminal Piping     |                                      |
| <b>720</b>             | Yes |                   | None                          | None                        | Yes                                  |
| Currently in Use       |     |                   | Not Required                  | Pressurized                 | Not Applicable,<br>Impressed Current |
| Diesel                 |     | 5/23/2014         | Deferred                      | MLLD Line Tightness Testing |                                      |
| 840,000                |     | 6/26/2014         |                               |                             |                                      |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** PHILLIPS 66 BOZEMAN TERMINAL  
318 W GRIFFIN DR  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-01844  
**Last Inspected On:** 7/10/2014  
**Operating Permit Renewal Date:** 10/31/2017

**Contact:** Steve Thomas, (406) 441-4747

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material                 | Overfill Types   |
|------------------|-----|-------------------|------------------------------------|---------------------------------|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option                | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type                     | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection          | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection        | Energy Act       |
| 23               | 16  | 1/1/2000          | Fiberglass Reinforced Plastic      | Flexible Plastic                | High Level Alarm |
| <b>4698</b>      |     | 6/24/2014         | Double-Walled                      | Double-Walled                   | Yes              |
| Currently in Use |     |                   | Continuous Interstitial Monitoring | Gravity Feed                    | Not Applicable   |
| Mixture          |     | 5/23/2014         | Continuous Interstitial Monitor    | Continuous Interstitial Monitor |                  |
| 1,500            |     | 6/24/2014         | Other , Other                      |                                 |                  |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** BOZEMAN AUDI  
1800 W MAIN ST  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-03430

**Last Inspected On:** 3/12/2015

**Operating Permit Renewal Date:**

**Contact:** Michael Parsons, (406) 586-1772

**Owners/Operators:** BOZEMAN AUDI, Owner/Operator (406)-586-1772 1800 W MAIN ST  
BOZEMAN MT 59715-4016

| Tank Id                | Age | Installed         | Tank Material of Construction   | Piping Material             | Overfill Types  |
|------------------------|-----|-------------------|---------------------------------|-----------------------------|-----------------|
| Tag Number             | AST | Sump Tightness    | Secondary Option                | Secondary Option            | Spill Protected |
| Status                 |     | Inventory Control | Catastrophic L.D. Type 3.0      | Piping Type                 | CP Met Types    |
| Product                |     | Tank/Pipe CP      | Tank Detection                  | Primary Pipe Detection      | Vapor Recovery  |
| Capacity               |     | Line Tightness    | ATG Type                        | Secondary Pipe Detection    | Energy Act      |
| 3                      | 22  | 7/1/1993          | Cathodically Protected Steel    | Copper                      |                 |
| <b>3104</b>            |     |                   | Double-Walled                   | Secondary Containment Chase | Yes             |
| Temporarily Out of Use |     |                   | Not Required                    | U.S. Suction                | Galvanic        |
| Waste Oil              |     | 3/4/2015          | Continuous Interstitial Monitor | MLLD Line Tightness Testing |                 |
| 2,000                  |     |                   |                                 |                             |                 |



## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** THRIFTWAY SUPER STOP 10  
919 W COLLEGE ST  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-03432

**Last Inspected On:** 6/3/2013

**Operating Permit Renewal Date:** 6/12/2016

**Contact:** (406) 587-9661

**Owners/Operators:** Sutey Oil Co Inc, Owner (406)-494-2305 2000 HOLMES AVE  
BUTTE MT 59701-3553

Bryan Kelsey, UST Class A Operator  
Louie Sutey, UST Class A Operator  
Dan Franti, UST Class B Operator  
Bryan Kelsey, UST Class B Operator  
Dave Stine, UST Class B Operator  
Louie Sutey, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material             | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|-----------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option            | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                 | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection      | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection    | Energy Act                   |
| 1                | 32  | 7/1/1983          | Bare Steel                    | Steel                       | Flapper Valve (Auto Shutoff) |
| <b>812</b>       |     |                   | Impressed Current             | None                        | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                 | Impressed Current            |
| Gasoline         |     | 5/2/2011          | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing |                              |
| 10,000           |     | 7/26/2010         |                               |                             |                              |
| 2                | 32  | 7/1/1983          | Bare Steel                    | Steel                       | Flapper Valve (Auto Shutoff) |
| <b>4434</b>      |     |                   | Impressed Current             | None                        | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                 | Impressed Current            |
| Gasoline         |     | 5/2/2011          | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing |                              |
| 10,000           |     | 7/26/2010         |                               |                             |                              |
| 3                | 32  | 7/1/1983          | Bare Steel                    | Steel                       | Flapper Valve (Auto Shutoff) |
| <b>814</b>       |     |                   | Impressed Current             | None                        | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                 | Impressed Current            |
| Gasoline         |     | 5/2/2011          | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing |                              |
| 10,000           |     | 7/26/2010         |                               |                             |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** THRIFTWAY SUPER STOP 11  
621 W MAIN ST  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-03800

**Last Inspected On:** 6/3/2013

**Operating Permit Renewal Date:** 6/12/2016

**Contact:** Mike Uphus, (406) 494-2305

**Owners/Operators:** Sutey Oil Co Inc, Owner (406)-494-2305 2000 HOLMES AVE  
BUTTE MT 59701-3553

Bryan Kelsey, UST Class A Operator  
Louie Sutey, UST Class A Operator  
Bryan Kelsey, UST Class B Operator  
Joy Richardson, UST Class B Operator  
Dave Stine, UST Class B Operator  
Louie Sutey, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material               | Overfill Types               |
|------------------|-----|-------------------|--|-------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option              | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type                   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection        | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection      | Energy Act                   |
| 6                | 25  | 5/1/1990          | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>815</b>       |     |                   | None   | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                   | Galvanic                     |
| Gasoline         |     | 5/2/2011          | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing   |                              |
| 10,000           |     | 7/26/2010         |  |                               |                              |
| 7                | 25  | 5/1/1990          | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>816</b>       |     |                   | None   | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                   | Galvanic                     |
| Gasoline         |     | 5/2/2011          | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing   |                              |
| 8,000            |     | 7/26/2010         |  |                               |                              |
| 8                | 25  | 5/1/1990          | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>817</b>       |     |                   | None   | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                   | Galvanic                     |
| Diesel           |     | 5/2/2011          | Automatic Tank Gauging 0.2                             | MLLD Line Tightness Testing   |                              |
| 8,000            |     | 7/26/2010         |  |                               |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** MINI MART 729  
1910 W MAIN ST  
BOZEMAN, MT 59718 GALLATIN

**Contact:** (406) 586-3677

**Sys Fac ID:** 16-03913  
**Last Inspected On:** 7/29/2013  
**Operating Permit Renewal Date:** 12/26/2016

**Owners/Operators:** Mini Mart Inc Pueblo, Owner (719)-948-3071 442 KEELER PKWY  
PUEBLO CO 81001-4813

William Jones, UST Class A Operator  
Randal Liebnow, UST Class A Operator  
John Sumowski, UST Class A Operator  
Derrick Trimble, UST Class A Operator  
Scott Huether, UST Class B Operator  
Timothy Osterman, UST Class B Operator  
Stevie Ulstad, UST Class B Operator  
JENNIFER COLEMAN, UST Class B Global Operator  
Dustin Harpster, UST Class B Global Operator  
Randal Liebnow, UST Class B Global Operator  
Anthony Mosmiller, UST Class B Global Operator  
Toni Mullen, UST Class B Global Operator  
Hiede Richardson, UST Class B Global Operator  
Derrick Trimble, UST Class B Global Operator  
DeWayne Young, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material               | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|-------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option              | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection        | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection      | Energy Act                   |
| 1                | 30  | 11/1/1985         | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>1642</b>      |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized                   | Galvanic                     |
| Gasoline         |     | 3/14/2011         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2    |                              |
| 10,000           |     |                   |                               |                               |                              |
| 2                | 30  | 11/1/1985         | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>1639</b>      |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized                   | Galvanic                     |
| Gasoline         |     | 3/14/2011         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2    |                              |
| 10,000           |     |                   |                               |                               |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** MINI MART 729  
1910 W MAIN ST  
BOZEMAN, MT 59718 GALLATIN

**Contact:** (406) 586-3677

**Sys Fac ID:** 16-03913  
**Last Inspected On:** 7/29/2013  
**Operating Permit Renewal Date:** 12/26/2016

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material               | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|-------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option              | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection        | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection      | Energy Act                   |
| 3                | 30  | 11/1/1985         | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>1640</b>      |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized                   | Galvanic                     |
| Gasoline         |     | 3/14/2011         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2    |                              |
| 10,000           |     |                   |                               |                               |                              |
| 4                | 30  | 11/1/1985         | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>1641</b>      |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized                   | Galvanic                     |
| Diesel           |     | 3/14/2011         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2    |                              |
| 10,000           |     |                   |                               |                               |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** THRIFTWAY SUPER STOP 8  
8192 HUFFINE LN  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 16-05064  
**Last Inspected On:** 6/3/2013  
**Operating Permit Renewal Date:** 11/13/2016

**Contact:** Nora Pipkin, (406) 586-8488

**Owners/Operators:** Sutey Oil Co Inc, Owner (406)-494-2305 2000 HOLMES AVE  
BUTTE MT 59701-3553

Bryan Kelsey, UST Class A Operator  
Louie Sutey, UST Class A Operator  
Viki Clayton, UST Class B Operator  
Connie Hajenga, UST Class B Operator  
Bryan Kelsey, UST Class B Operator  
Deza Rae Pitt, UST Class B Operator  
Dave Stine, UST Class B Operator  
Louie Sutey, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|-------------------------------|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection                                      | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection                                    | Energy Act       |
| 5                | 17  | 8/1/1998          | Fiberglass Reinforced Plastic | Flexible Plastic  | Ball Float Valve |
| <b>2053</b>      |     |                   | None                          | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 15,000           |     |                   |                               |   |                  |
| 6                | 17  | 8/1/1998          | Fiberglass Reinforced Plastic | Flexible Plastic  | Ball Float Valve |
| <b>2054</b>      |     |                   | None                          | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 15,000           |     |                   |                               |   |                  |
| 7                | 17  | 8/1/1998          | Fiberglass Reinforced Plastic | Flexible Plastic  | Ball Float Valve |
| <b>2055</b>      |     |                   | None                          | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 6,000            |     |                   |                               |   |                  |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** MINI MART 728 UST  
717 W COLLEGE ST  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-05778

**Last Inspected On:** 7/29/2013

**Operating Permit Renewal Date:** 9/13/2016

**Contact:** (406) 586-8012

**Owners/Operators:** Mini Mart Inc Pueblo, Owner (719)-948-3071 442 KEELER PKWY  
PUEBLO CO 81001-4813

William Jones, UST Class A Operator  
Randal Liebnow, UST Class A Operator  
John Sumowski, UST Class A Operator  
Derrick Trimble, UST Class A Operator  
Timothy Osterman, UST Class B Operator  
Stevie Ulstad, UST Class B Operator  
Pamela Upton, UST Class B Operator  
JENNIFER COLEMAN, UST Class B Global Operator  
Dustin Harpster, UST Class B Global Operator  
Randal Liebnow, UST Class B Global Operator  
Anthony Mosmiller, UST Class B Global Operator  
Toni Mullen, UST Class B Global Operator  
Hiede Richardson, UST Class B Global Operator  
Derrick Trimble, UST Class B Global Operator  
DeWayne Young, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection        | Energy Act                   |
| 1                | 34  | 4/25/1981         | Bare Steel                    | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>3641</b>      |     | 12/11/2014        | Impressed Current             | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized                     | Impressed Current            |
| Gasoline         |     | 1/20/2015         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2      |                              |
| 6,000            |     | 12/18/2014        |                               | Continuous Interstitial Monitor |                              |
| 2                | 34  | 4/25/1981         | Bare Steel                    | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>3642</b>      |     | 12/11/2014        | Impressed Current             | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized                     | Impressed Current            |
| Gasoline         |     | 1/20/2015         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2      |                              |
| 4,000            |     | 12/18/2014        |                               | Continuous Interstitial Monitor |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** MINI MART 728 UST  
717 W COLLEGE ST  
BOZEMAN, MT 59715 GALLATIN

**Contact:** (406) 586-8012

**Sys Fac ID:** 16-05778  
**Last Inspected On:** 7/29/2013  
**Operating Permit Renewal Date:** 9/13/2016

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection        | Energy Act                   |
| 3                | 34  | 4/25/1981         | Bare Steel                    | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>3643</b>      |     | 12/11/2014        | Impressed Current             | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized                     | Impressed Current            |
| Gasoline         |     | 1/20/2015         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2      |                              |
| 6,000            |     | 12/18/2014        |                               | Continuous Interstitial Monitor |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** ZIP TRIP 46  
1210 E MAIN ST  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-06596

**Last Inspected On:** 1/7/2016

**Operating Permit Renewal Date:** 5/26/2019

**Contact:** Harry Huntsinger, (406) 633-2359

**Owners/Operators:** CHS Inc - Spokane Valley, Owner (509)-535-7701 16124 E MARIETTA LANE  
SPOKANE VALLEY WA 99216  
Cenex Zip Trip, Operator (509)-535-7701 16124 E MARIETTA LANE  
SPOKANE VALLEY WA 99216  
Ian Johnstone, UST Class A Operator  
Nicholas Merritt, UST Class B Operator  
Darcy Ziegler, UST Class B Operator  
Ian Johnstone, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material   | Overfill Types               |
|------------------|-----|-------------------|------------------------------------|---|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option  | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection                                  | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection                                | Energy Act                   |
| 1                | 30  | 4/3/1985          | Bare Steel                         | Fiberglass Reinforced Plastic                           | Flapper Valve (Auto Shutoff) |
| <b>2105</b>      |     |                   | Impressed Current                  | None  | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector      | Pressurized   | Impressed Current, Galvanic  |
| Gasoline         |     | 4/17/2013         | Automatic Tank Gauging 0.2         | Automatic Tank Gauging 0.2, ELLD Line Tightness Testing |                              |
| 10,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root |   |                              |
| 2                | 30  | 4/3/1985          | Bare Steel                         | Fiberglass Reinforced Plastic                           | Flapper Valve (Auto Shutoff) |
| <b>2106</b>      |     |                   | Impressed Current                  | None  | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector      | Pressurized   | Impressed Current, Galvanic  |
| Gasoline         |     | 4/17/2013         | Automatic Tank Gauging 0.2         | Automatic Tank Gauging 0.2, ELLD Line Tightness Testing |                              |
| 10,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root |   |                              |



## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** ZIP TRIP 46  
1210 E MAIN ST  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-06596  
**Last Inspected On:** 1/7/2016  
**Operating Permit Renewal Date:** 5/26/2019

**Contact:** Harry Huntsinger, (406) 633-2359

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material   | Overfill Types               |
|------------------|-----|-------------------|------------------------------------|---|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option  | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection                                  | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection                                | Energy Act                   |
| 3                | 30  | 4/3/1985          | Bare Steel                         | Fiberglass Reinforced Plastic                           | Flapper Valve (Auto Shutoff) |
| 2107             |     |                   | Impressed Current                  | None  | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector      | Pressurized   | Impressed Current, Galvanic  |
| Diesel           |     | 4/17/2013         | Automatic Tank Gauging 0.2         | Automatic Tank Gauging 0.2, ELLD Line Tightness Testing |                              |
| 8,000            |     |                   | TLS-350/Gilbarco EMC , Veeder Root |   |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** CASEYS CORNER #1  
81855 GALLATIN RD  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 16-06922

**Last Inspected On:** 6/24/2013

**Operating Permit Renewal Date:** 7/22/2016

**Contact:** Jason Shanley, (406) 587-0702

**Owners/Operators:** Story Distributing Co, Owner/Operator (406)-587-0702 PO BOX 1201  
BOZEMAN MT 59771-1201

Jason Shanley, UST Class A Operator  
Angelina Matthews, UST Class B Operator  
Brandis Moe, UST Class B Operator  
Jason Shanley, UST Class B Operator  
Nancy Kennedy, UST Class B Global Operator  
Kelly Scott Shutes, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material   | Overfill Types               |
|------------------|-----|-------------------|--|---|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option  | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection  | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection  | Energy Act                   |
| 1                | 19  | 5/1/1996          | Cathodically Protected Steel                           | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>2024</b>      |     |                   | None   | Double-Walled   | Yes                          |
| Currently in Use |     | 5/1/2006          | Electronic Line Leak Detector                          | Pressurized   | Galvanic                     |
| Diesel           |     | 6/12/2012         | Automatic Tank Gauging 0.2                             | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                              |
| 12,000           |     |                   |  |   |                              |
| 5                | 24  | 4/10/1991         | Cathodically Protected Steel                           | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>2018</b>      |     |                   | None   | Double-Walled   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Galvanic                     |
| Gasoline         |     | 6/12/2012         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Continuous Interstitial Monitor   |                              |
| 10,000           |     |                   |  | Automatic Tank Gauging 0.2, MLLD Line Tightness Testing                                 |                              |
| 6                | 24  | 4/10/1991         | Cathodically Protected Steel                           | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>2019</b>      |     |                   | None   | Double-Walled   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Galvanic                     |
| Gasoline         |     | 6/12/2012         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Continuous Interstitial Monitor   |                              |
| 10,000           |     |                   |  | Automatic Tank Gauging 0.2, MLLD Line Tightness Testing                                 |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** CASEYS CORNER #1  
81855 GALLATIN RD  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 16-06922  
**Last Inspected On:** 6/24/2013  
**Operating Permit Renewal Date:** 7/22/2016

**Contact:** Jason Shanley, (406) 587-0702

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material   | Overfill Types               |
|------------------|-----|-------------------|--|---|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option  | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection                                  | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection                                | Energy Act                   |
| 7                | 24  | 4/10/1991         | Cathodically Protected Steel                           | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>2020</b>      |     |                   | None   | Double-Walled   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized   | Galvanic                     |
| Gasoline         |     | 6/12/2012         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Continuous Interstitial Monitor                         |                              |
| 10,000           |     |                   |  | Automatic Tank Gauging 0.2, MLLD Line Tightness Testing |                              |
| 8                | 19  | 5/1/1996          | Cathodically Protected Steel                           | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>2021</b>      |     |                   | None   | Double-Walled   | Yes                          |
| Currently in Use |     | 5/1/2006          | Electronic Line Leak Detector                          | Pressurized   | Galvanic                     |
| Diesel           |     | 6/12/2012         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, MLLD Line Tightness Testing |                              |
| 2,000            |     |                   |  |   |                              |
| 9                | 19  | 5/1/1996          | Cathodically Protected Steel                           | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>2022</b>      |     |                   | None   | Double-Walled   | Yes                          |
| Currently in Use |     | 5/1/2006          | Electronic Line Leak Detector                          | Pressurized   | Galvanic                     |
| Diesel           |     | 6/12/2012         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, MLLD Line Tightness Testing |                              |
| 6,000            |     |                   |  |   |                              |
| 10               | 19  | 5/1/1996          | Cathodically Protected Steel                           | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>2023</b>      |     |                   | None   | Double-Walled   | Yes                          |
| Currently in Use |     | 5/1/2006          | Electronic Line Leak Detector                          | Pressurized   | Galvanic                     |
| Diesel           |     | 6/12/2012         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.2, MLLD Line Tightness Testing |                              |
| 8,000            |     |                   |  |   |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** STRAIGHTAWAY MOTORS  
5 E MENDENHALL ST  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-07197  
**Last Inspected On:** 2/3/2015  
**Operating Permit Renewal Date:** 5/4/2018

**Contact:** Peter H Colvin, (406) 586-2569

**Owners/Operators:** Straightaway Motors, Owner (406)-586-2569 5 E MENDENHALL ST  
BOZEMAN MT 59715-3666  
Eric Colvin, UST Class A Operator  
Peter H Colvin, UST Class A Operator  
Peter H Colvin, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material               | Overfill Types  |
|------------------|-----|-------------------|-------------------------------|-------------------------------|-----------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option              | Spill Protected |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                   | CP Met Types    |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection        | Vapor Recovery  |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection      | Energy Act      |
| 5                | 23  | 7/1/1992          | Cathodically Protected Steel  | Fiberglass Reinforced Plastic |                 |
| <b>1387</b>      |     |                   | Double-Walled                 | None                          | Yes             |
| Currently in Use |     |                   | Not Required                  | Gravity Feed                  | Galvanic        |
| Waste Oil        |     | 2/3/2015          | Manual Interstitial Monitor   | MLLD Line Tightness Testing   |                 |
| 2,000            |     | 2/3/2015          |                               |                               |                 |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** CASEYS #2  
1211 E MAIN ST  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-08188  
**Last Inspected On:** 10/9/2013  
**Operating Permit Renewal Date:** 12/31/2016

**Contact:** Gary Scales, (406) 587-7438

|  |                |                                      |
|--|----------------|--------------------------------------|
| <b>Owners/Operators:</b> Story Distributing Company, Owner | (406)-587-0702 | PO BOX 1201<br>BOZEMAN MT 59771      |
| Jason Shanley, Operator                                    | (406)-587-0702 | PO BOX 1201<br>BOZEMAN MT 59771-1201 |
| Jason Shanley, UST Class A Operator                        |                |                                      |
| Pam Diamond, UST Class B Operator                          |                |                                      |
| Randall Greene, UST Class B Operator                       |                |                                      |
| Jessika Hensley, UST Class B Operator                      |                |                                      |
| Elizabeth Hickman, UST Class B Operator                    |                |                                      |
| Edye Macrow, UST Class B Operator                          |                |                                      |
| Jason Shanley, UST Class B Global Operator                 |                |                                      |
| Kelly Scott Shutes, UST Class B Global Operator            |                |                                      |

| Tank Id                | Age | Installed         | Tank Material of Construction      | Piping Material   | Overfill Types               |
|------------------------|-----|-------------------|------------------------------------|---|------------------------------|
| Tag Number             | AST | Sump Tightness    | Secondary Option                   | Secondary Option  | Spill Protected              |
| Status                 |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type   | CP Met Types                 |
| Product                |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection                                      | Vapor Recovery               |
| Capacity               |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection                                    | Energy Act                   |
| 4                      | 17  | 4/1/1998          | Cathodically Protected Steel       | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>4576</b>            |     |                   | None                               | Double-Walled   | Yes                          |
| Currently in Use       |     |                   | Electronic Line Leak Detector      | Pressurized   | Galvanic                     |
| Gasoline               |     | 10/7/2013         | Automatic Tank Gauging 0.2         | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                              |
| 8,000                  |     |                   |                                    |   |                              |
| 5                      | 17  | 4/1/1998          | Cathodically Protected Steel       | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>4577</b>            |     |                   | None                               | Double-Walled   | Yes                          |
| Temporarily Out of Use |     |                   | Continuous Interstitial Monitoring | Pressurized   | Galvanic                     |
| Diesel                 |     | 10/7/2013         | Automatic Tank Gauging 0.2         | Continuous Interstitial Monitor                             |                              |
| 4,000                  |     |                   |                                    |   |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** CASEYS #2  
1211 E MAIN ST  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-08188  
**Last Inspected On:** 10/9/2013  
**Operating Permit Renewal Date:** 12/31/2016

**Contact:** Gary Scales, (406) 587-7438

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material   | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|---|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option  | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection                                      | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection                                    | Energy Act                   |
| 6                | 17  | 4/1/1998          | Cathodically Protected Steel  | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>2030</b>      |     |                   | None                          | Double-Walled   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Galvanic                     |
| Diesel           |     | 10/7/2013         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                              |
| 8,000            |     |                   |                               |   |                              |
| 7                | 17  | 4/1/1998          | Cathodically Protected Steel  | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>2031</b>      |     |                   | None                          | Double-Walled   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Galvanic                     |
| Gasoline         |     | 10/7/2013         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                              |
| 12,000           |     |                   |                               |   |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** CASEYS CORNER #3  
1420 N 7TH AVE  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-08190  
**Last Inspected On:** 10/9/2013  
**Operating Permit Renewal Date:** 12/31/2016

**Contact:** Jason Shanley, (406) 587-0702

**Owners/Operators:** Story Distributing Co, Owner/Operator (406)-587-0702 PO BOX 1201  
BOZEMAN MT 59771-1201

Jason Shanley, UST Class A Operator  
Ryan Allen, UST Class B Operator  
Randall Greene, UST Class B Operator  
Ladonna Lambert, UST Class B Operator  
Ginny Strobel, UST Class B Operator  
Jason Shanley, UST Class B Global Operator  
Kelly Scott Shutes, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material   | Overfill Types               |
|------------------|-----|-------------------|------------------------------------|---|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option  | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection  | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection  | Energy Act                   |
| 6                | 17  | 12/1/1998         | Cathodically Protected Steel       | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>3687</b>      |     |                   | None                               | Double-Walled   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector      | Pressurized   | Galvanic                     |
| Gasoline         |     | 10/7/2013         | Automatic Tank Gauging 0.2         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                              |
| 10,000           |     |                   |                                    |   |                              |
| 7                | 17  | 12/1/1998         | Cathodically Protected Steel       | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>3688</b>      |     |                   | None                               | Double-Walled   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector      | Pressurized   | Galvanic                     |
| Gasoline         |     | 10/7/2013         | Automatic Tank Gauging 0.2         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                              |
| 14,000           |     |                   |                                    |   |                              |
| 8                | 10  | 12/28/2005        | Fiberglass Reinforced Plastic      | Flexible Plastic  | Ball Float Valve             |
| <b>5054</b>      |     |                   | None                               | Double-Walled   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector      | Pressurized   | Not Applicable               |
| Diesel           |     | 10/7/2010         | Automatic Tank Gauging 0.2         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                              |
| 8,000            |     |                   | TLS-350/Gilbarco EMC , Veeder Root |   |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** BOZEMAN KARDLOCK  
300 E GRIFFIN DR  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-08191

**Last Inspected On:** 12/26/2013

**Operating Permit Renewal Date:** 1/15/2017

**Contact:** Jason Shanley, (406) 587-0702

**Owners/Operators:** Story Distributing Co, Owner/Operator (406)-587-0702 PO BOX 1201  
BOZEMAN MT 59771-1201  
Jason Shanley, UST Class A Operator  
Jason Shanley, UST Class B Global Operator  
Kelly Scott Shutes, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction    | Piping Material  | Overfill Types               |
|------------------|-----|-------------------|----------------------------------|--|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                 | Secondary Option   | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0       | Piping Type  | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                   | Primary Pipe Detection   | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                         | Secondary Pipe Detection   | Energy Act                   |
| 1                | 37  | 5/2/1978          | Cathodically Protected Steel     | Flexible Plastic   | Flapper Valve (Auto Shutoff) |
| <b>3864</b>      |     |                   | Lined Interior/Impressed Current | Double-Walled  | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector    | Pressurized  | Impressed Current            |
| Gasoline         |     | 12/26/2013        | Automatic Tank Gauging 0.2       | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor                              |                              |
| 12,000           |     |                   |                                  |  |                              |
| 2                | 37  | 5/2/1978          | Cathodically Protected Steel     | Flexible Plastic   | Flapper Valve (Auto Shutoff) |
| <b>3865</b>      |     |                   | Lined Interior/Impressed Current | Double-Walled  | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector    | Pressurized  | Impressed Current            |
| Gasoline         |     | 12/26/2013        | Automatic Tank Gauging 0.2       | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor                              |                              |
| 8,000            |     |                   |                                  |  |                              |
| 3                | 37  | 5/2/1978          | Cathodically Protected Steel     | Flexible Plastic   | Flapper Valve (Auto Shutoff) |
| <b>3866</b>      |     |                   | Lined Interior/Impressed Current | Double-Walled  | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector    | Pressurized  | Impressed Current            |
| Diesel           |     | 12/26/2013        | Automatic Tank Gauging 0.2       | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, MLLD Line Tightness Testing |                              |
| 8,000            |     | 11/16/2010        |                                  |  |                              |



## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** BOZEMAN KARDLOCK  
300 E GRIFFIN DR  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-08191  
**Last Inspected On:** 12/26/2013

**Operating Permit Renewal Date:** 1/15/2017

**Contact:** Jason Shanley, (406) 587-0702

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material   | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|---|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option  | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection                                      | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection                                    | Energy Act                   |
| 4                | 30  | 1/1/1986          | Cathodically Protected Steel  | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>3867</b>      |     |                   | Impressed Current             | Double-Walled   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Impressed Current            |
| Diesel           |     | 12/26/2013        | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                              |
| 10,000           |     |                   |                               |   |                              |
| 5                | 30  | 1/1/1986          | Cathodically Protected Steel  | Flexible Plastic  | Flapper Valve (Auto Shutoff) |
| <b>3868</b>      |     |                   | Impressed Current             | Double-Walled   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Impressed Current            |
| Diesel           |     | 12/26/2013        | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                              |
| 10,000           |     |                   |                               |   |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** TOWN PUMP INC BOZEMAN 1  
803 E MAIN ST  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-08674

**Last Inspected On:** 8/12/2015

**Operating Permit Renewal Date:** 8/25/2018

**Contact:** Trent Biggers, (406) 497-6936

**Owners/Operators:** Town Pump Inc, Owner (406)-497-6947 PO BOX 6000  
BUTTE MT 59702-2534  
Trent Biggers, UST Class A Operator  
Trent Biggers, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material   | Overfill Types                                 |
|------------------|-----|-------------------|---|---|--|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option  | Spill Protected                                |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0  | Piping Type   | CP Met Types                                   |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection  | Vapor Recovery                                 |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection  | Energy Act                                     |
| 9                | 00  | 4/1/2015          | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Flapper Valve (Auto Shutoff), Ball Float Valve |
| <b>5520</b>      |     | 3/3/2015          | Double-Walled   | Double-Walled   | Yes  |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable                                 |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |  |
| 20,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  | Not Listed  |  |
| 10               | 00  | 4/1/2015          | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Flapper Valve (Auto Shutoff), Ball Float Valve |
| <b>5521</b>      |     | 3/3/2015          | Double-Walled   | Double-Walled   | Yes  |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable                                 |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |  |
| 10,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  | Not Listed  |  |
| 11               | 00  | 4/1/2015          | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Flapper Valve (Auto Shutoff), Ball Float Valve |
| <b>5522</b>      |     | 3/3/2015          | Double-Walled   | Double-Walled   | Yes  |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable                                 |
| Diesel           |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |  |
| 10,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root  | Not Listed  |  |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** TOWN PUMP INC BOZEMAN 1  
803 E MAIN ST  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-08674

**Last Inspected On:** 8/12/2015

**Operating Permit Renewal Date:** 8/25/2018

**Contact:** Trent Biggers, (406) 497-6936

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material   | Overfill Types                                 |
|------------------|-----|-------------------|---|---|--|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option  | Spill Protected                                |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0  | Piping Type   | CP Met Types                                   |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection  | Vapor Recovery                                 |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection  | Energy Act                                     |
| 12               | 00  | 4/1/2015          | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Flapper Valve (Auto Shutoff), Ball Float Valve |
| <b>5523</b>      |     | 3/3/2015          | Double-Walled   | Double-Walled   | Yes  |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable                                 |
| Diesel           |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |  |
| 6,000            |     |                   | TLS-350/Gilbarco EMC , Veeder Root  | Not Listed  |  |
| 13               | 00  | 4/1/2015          | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic   | Flapper Valve (Auto Shutoff), Ball Float Valve |
| <b>5524</b>      |     | 3/3/2015          | Double-Walled   | Double-Walled   | Yes  |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable                                 |
| Diesel           |     |                   | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring |  |
| 6,000            |     |                   | TLS-350/Gilbarco EMC , Veeder Root  | Not Listed  |  |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** TOWN PUMP INC BOZEMAN 2  
2607 W MAIN ST  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 16-08675

**Last Inspected On:** 2/9/2015

**Operating Permit Renewal Date:** 5/31/2018

**Contact:** Trent Biggers, (406) 497-6700

**Owners/Operators:** Bozeman Town Pump Inc, Owner (406)-497-6700 PO BOX 6000  
BUTTE MT 59702-6000  
Trent Biggers, UST Class A Operator  
Trent Biggers, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction  | Piping Material  | Overfill Types    |
|------------------|-----|-------------------|--|--|-------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option   | Secondary Option   | Spill Protected   |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0   | Piping Type  | CP Met Types      |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection                                     | Vapor Recovery    |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection                                   | Energy Act        |
| 1                | 31  | 4/11/1984         | Cathodically Protected Steel   | Fiberglass Reinforced Plastic                              | Ball Float Valve  |
| <b>2441</b>      |     |                   | Impressed Current  | None   | Yes               |
| Currently in Use |     |                   | Electronic Line Leak Detector  | Pressurized  | Impressed Current |
| Gasoline         |     | 7/7/2014          | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation, Approved Remote Monitoring | Stat. Inventory Reconciliation, Approved Remote Monitoring |                   |
| 10,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root   |  |                   |
| 2                | 31  | 4/11/1984         | Cathodically Protected Steel   | Fiberglass Reinforced Plastic                              | Ball Float Valve  |
| <b>2442</b>      |     |                   | None   | None   | Yes               |
| Currently in Use |     |                   | Electronic Line Leak Detector  | Pressurized  | Impressed Current |
| Gasoline         |     | 7/7/2014          | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation, Approved Remote Monitoring | Stat. Inventory Reconciliation, Approved Remote Monitoring |                   |
| 10,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root   |  |                   |
| 3                | 31  | 4/11/1984         | Cathodically Protected Steel   | Fiberglass Reinforced Plastic                              | Ball Float Valve  |
| <b>2443</b>      |     |                   | None   | none   | Yes               |
| Currently in Use |     |                   | Electronic Line Leak Detector  | Pressurized  | Impressed Current |
| Diesel           |     | 7/7/2014          | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation, Approved Remote Monitoring | Stat. Inventory Reconciliation, Approved Remote Monitoring |                   |
| 10,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root   |  |                   |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** TOWN PUMP INC BOZEMAN 2  
2607 W MAIN ST  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 16-08675

**Last Inspected On:** 2/9/2015

**Operating Permit Renewal Date:** 5/31/2018

**Contact:** Trent Biggers, (406) 497-6700

| Tank Id          | Age | Installed         | Tank Material of Construction  | Piping Material  | Overfill Types   |
|------------------|-----|-------------------|--|--|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option   | Secondary Option   | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0   | Piping Type  | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection                                     | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection                                   | Energy Act       |
| 4                | 26  | 4/1/1989          | Fiberglass Reinforced Plastic  | Fiberglass Reinforced Plastic                              | Ball Float Valve |
| 2444             |     |                   | None   | None   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector  | Pressurized  | Not Applicable   |
| Gasoline         |     | 7/7/2014          | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation, Approved Remote Monitoring | Stat. Inventory Reconciliation, Approved Remote Monitoring |                  |
| 12,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root   |  |                  |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** EXXON MOBIL BOZEMAN PRODUCTS TERMINAL  
220 W GRIFFIN DR  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-08730

**Last Inspected On:** 1/7/2013

**Operating Permit Renewal Date:** 5/27/2016

**Contact:** Kris Gagnon, (406) 586-6927

**Owners/Operators:** Exxon Company USA Bozeman, Owner (406)-586-6927 220 W GRIFFIN DR  
BOZEMAN MT 59715-2254

Bob Kolp, UST Class A Operator  
James Vokral Sup, UST Class A Operator  
Christopher Scott Martin, UST Class B Operator  
Jim Gullon, UST Class B Global Operator  
Bob Kolp, UST Class B Global Operator  
Marc Larson, UST Class B Global Operator  
James Vokral Sup, UST Class B Global Operator

| Tank Id             | Age | Installed         | Tank Material of Construction   | Piping Material               | Overfill Types                       |
|---------------------|-----|-------------------|---------------------------------|-------------------------------|--------------------------------------|
| Tag Number          | AST | Sump Tightness    | Secondary Option                | Secondary Option              | Spill Protected                      |
| Status              |     | Inventory Control | Catastrophic L.D. Type 3.0      | Piping Type                   | CP Met Types                         |
| Product             |     | Tank/Pipe CP      | Tank Detection                  | Primary Pipe Detection        | Vapor Recovery                       |
| Capacity            |     | Line Tightness    | ATG Type                        | Secondary Pipe Detection      | Energy Act                           |
| 2                   | 61  | 6/1/1954          | Bare Steel                      | Steel                         |                                      |
| <b>2815</b>         | Yes |                   | None                            | None                          | Yes                                  |
| Currently in Use    |     |                   | Not Required                    | Pressurized                   | Impressed Current                    |
| Other               |     | 8/24/2011         | Deferred                        | MLLD Line Tightness Testing   |                                      |
| 420,000             |     | 10/25/2012        |                                 |                               |                                      |
| 4                   | 27  | 6/1/1988          | Fiberglass Reinforced Plastic   | Steel                         | High Level Alarm                     |
| <b>3702</b>         |     |                   | Double-Walled                   | None                          | Yes                                  |
| Currently in Use    |     | 6/1/1998          | Not Required                    | Gravity Feed                  | Not Applicable,<br>Impressed Current |
| Gasoline            |     | 8/24/2011         | Continuous Interstitial Monitor | MLLD Line Tightness Testing   |                                      |
| 2,000               |     | 11/1/2009         |                                 |                               |                                      |
| 6                   | 34  | 12/1/1981         | Bare Steel                      | Fiberglass Reinforced Plastic |                                      |
|                     |     |                   | None                            | None                          | Yes                                  |
| Currently in Use    |     |                   | Not Required                    | Gravity Feed                  | Impressed Current                    |
| Oil/Water Separator |     |                   | Deferred                        | Deferred                      |                                      |
| 5,000               |     |                   |                                 |                               |                                      |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** EXXON MOBIL BOZEMAN PRODUCTS TERMINAL  
220 W GRIFFIN DR  
BOZEMAN, MT 59715 GALLATIN  
**Contact:** Kris Gagnon, (406) 586-6927

**Sys Fac ID:** 16-08730  
**Last Inspected On:** 1/7/2013  
**Operating Permit Renewal Date:** 5/27/2016

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material             | Overfill Types    |
|------------------|-----|-------------------|-------------------------------|-----------------------------|-------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option            | Spill Protected   |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                 | CP Met Types      |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection      | Vapor Recovery    |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection    | Energy Act        |
| 7                | 61  | 6/1/1954          | Bare Steel                    | Steel - Terminal Piping     |                   |
| <b>2813</b>      | Yes |                   | None                          | None                        | Yes               |
| Currently in Use |     |                   | Not Required                  | Pressurized                 | Impressed Current |
| Diesel           |     | 8/24/2011         | Deferred                      | MLLD Line Tightness Testing |                   |
| 420,000          |     | 10/13/2012        |                               |                             |                   |
| 10               | 61  | 6/1/1954          | Bare Steel                    | Steel - Terminal Piping     |                   |
| <b>2811</b>      | Yes |                   | None                          | None                        | Yes               |
| Currently in Use |     |                   | Not Required                  | Pressurized                 | Impressed Current |
| Diesel           |     | 8/24/2011         | Deferred                      | MLLD Line Tightness Testing |                   |
| 630,000          |     | 10/25/2012        |                               |                             |                   |
| 12               | 61  | 6/1/1954          | Bare Steel                    | Steel - Terminal Piping     |                   |
| <b>2809</b>      | Yes |                   | None                          | None                        | Yes               |
| Currently in Use |     |                   | Not Required                  | Pressurized                 | Impressed Current |
| Gasoline         |     | 8/24/2011         | Deferred                      | MLLD Line Tightness Testing |                   |
| 420,000          |     | 10/25/2012        |                               |                             |                   |
| 13               | 61  | 6/1/1954          | Bare Steel                    | Steel - Terminal Piping     |                   |
| <b>4851</b>      | Yes |                   | None                          | None                        | Yes               |
| Currently in Use |     |                   | Not Required                  | Pressurized                 | Impressed Current |
| Gasoline         |     | 8/24/2011         | Deferred                      | MLLD Line Tightness Testing |                   |
| 1,260,000        |     | 10/25/2012        |                               |                             |                   |
| 15               | 61  | 6/1/1954          | Bare Steel                    | Steel - Terminal Piping     |                   |
| <b>2805</b>      | Yes |                   | None                          | None                        | Yes               |
| Currently in Use |     |                   | Not Required                  | Pressurized                 | Impressed Current |
| Gasoline         |     | 8/24/2011         | Deferred                      | MLLD Line Tightness Testing |                   |
| 630,000          |     | 10/25/2012        |                               |                             |                   |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** EXXON MOBIL BOZEMAN PRODUCTS TERMINAL  
220 W GRIFFIN DR  
BOZEMAN, MT 59715 GALLATIN  
**Contact:** Kris Gagnon, (406) 586-6927

**Sys Fac ID:** 16-08730  
**Last Inspected On:** 1/7/2013  
**Operating Permit Renewal Date:** 5/27/2016

| Tank Id             | Age | Installed         | Tank Material of Construction | Piping Material               | Overfill Types    |
|---------------------|-----|-------------------|-------------------------------|-------------------------------|-------------------|
| Tag Number          | AST | Sump Tightness    | Secondary Option              | Secondary Option              | Spill Protected   |
| Status              |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                   | CP Met Types      |
| Product             |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection        | Vapor Recovery    |
| Capacity            |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection      | Energy Act        |
| 18                  | 36  | 1/1/1980          | Bare Steel                    | Fiberglass Reinforced Plastic |                   |
|                     |     |                   | None                          | None                          | Yes               |
| Currently in Use    |     |                   | Not Required                  | Not Listed                    | Impressed Current |
| Oil/Water Separator |     |                   | Deferred                      | Deferred                      |                   |
| 10,000              |     |                   |                               |                               |                   |
| 19                  | 62  | 1/1/1954          | Bare Steel                    | Steel                         |                   |
| <b>2817</b>         | Yes |                   | None                          | None                          | Yes               |
| Currently in Use    |     |                   | Not Required                  | Pressurized                   | Impressed Current |
| Diesel              |     | 8/24/2011         | Deferred                      | MLLD Line Tightness Testing   |                   |
| 110                 |     | 10/25/2012        |                               |                               |                   |
| 21                  | 62  | 1/1/1954          | Bare Steel                    | Steel                         |                   |
| <b>2819</b>         | Yes |                   | None                          | None                          | Yes               |
| Currently in Use    |     |                   | Not Required                  | Pressurized                   | Impressed Current |
| Gasoline            |     | 8/24/2011         | Deferred                      | MLLD Line Tightness Testing   |                   |
| 110                 |     | 11/1/2009         |                               |                               |                   |
| 30                  | 21  | 5/1/1994          | Bare Steel                    | Steel                         |                   |
| <b>2828</b>         | Yes |                   | None                          | Secondary Containment Chase   | Yes               |
| Currently in Use    |     |                   | Not Required                  | Pressurized                   | Impressed Current |
| Hazardous Substance |     | 8/24/2011         | Deferred                      | Not Listed                    |                   |
| 1,000               |     | 11/1/2009         |                               |                               |                   |
| 34                  | 24  | 4/1/1991          | Bare Steel                    | Steel                         |                   |
| <b>2824</b>         | Yes |                   | None                          | Secondary Containment Chase   | Yes               |
| Currently in Use    |     |                   | Not Required                  | Pressurized                   | Impressed Current |
| Hazardous Substance |     | 8/24/2011         | Deferred                      | Not Listed                    |                   |
| 10,000              |     | 11/1/2009         |                               |                               |                   |



## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** EXXON MOBIL BOZEMAN PRODUCTS TERMINAL  
220 W GRIFFIN DR  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-08730

**Last Inspected On:** 1/7/2013

**Operating Permit Renewal Date:** 5/27/2016

**Contact:** Kris Gagnon, (406) 586-6927

| Tank Id             | Age | Installed         | Tank Material of Construction | Piping Material             | Overfill Types    |
|---------------------|-----|-------------------|-------------------------------|-----------------------------|-------------------|
| Tag Number          | AST | Sump Tightness    | Secondary Option              | Secondary Option            | Spill Protected   |
| Status              |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                 | CP Met Types      |
| Product             |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection      | Vapor Recovery    |
| Capacity            |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection    | Energy Act        |
| 35                  | 28  | 9/1/1987          | Bare Steel                    | Steel                       |                   |
| 2825                | Yes |                   | None                          | Secondary Containment Chase | Yes               |
| Currently in Use    |     |                   | Not Required                  | Pressurized                 | Impressed Current |
| Hazardous Substance |     | 8/24/2011         | Deferred                      | Not Listed                  |                   |
| 3,000               |     | 11/1/2009         |                               |                             |                   |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** KAGY KORNER INC  
1809 S TRACY AVE  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-09672

**Last Inspected On:** 4/8/2014

**Operating Permit Renewal Date:** 7/15/2017

**Contact:** Gary Tschache, (406) 586-1079

**Owners/Operators:** Kagy Korner Store Inc, Owner (406)-586-1079 1809 S TRACY AVE  
BOZEMAN MT 59715-5736

Cathy Tafelmeyer, UST Class A Operator  
Rhett Tschache, UST Class A Operator  
Amber Wilkinson, UST Class A Operator  
Jason Fellows, UST Class B Operator  
Victoria Lynn, UST Class B Operator  
Brittany Matthews, UST Class B Operator  
Dee McCoy, UST Class B Operator  
Megan Pielaet, UST Class B Operator  
Joseph Rogers, UST Class B Operator  
Trudy Smith, UST Class B Operator  
Shelley Thomas, UST Class B Operator  
Rhett Tschache, UST Class B Operator  
Amber Wilkinson, UST Class B Operator  
Ricky Yozamp, UST Class B Operator  
Jennifer Ness, UST Class B Global Operator  
C. Lee-Brokus Schans, UST Class B Global Operator  
Lisa Tiewater, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material               | Overfill Types   |
|------------------|-----|-------------------|-------------------------------|-------------------------------|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option              | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection        | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection      | Energy Act       |
| 1                | 28  | 11/15/1987        | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | High Level Alarm |
| 1462             |     |                   | Double-Walled                 | Double-Walled                 | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic         |
| Gasoline         |     | 4/8/2014          | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                  |
| 10,000           |     | 4/8/2014          |                               |                               |                  |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** KAGY KORNER INC  
1809 S TRACY AVE  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-09672

**Last Inspected On:** 4/8/2014

**Operating Permit Renewal Date:** 7/15/2017

**Contact:** Gary Tschache, (406) 586-1079

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material               | Overfill Types   |
|------------------|-----|-------------------|-------------------------------|-------------------------------|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option              | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection        | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection      | Energy Act       |
| 2                | 28  | 11/15/1987        | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | High Level Alarm |
| <b>1463</b>      |     |                   | Double-Walled                 | Double-Walled                 | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic         |
| Gasoline         |     | 4/8/2014          | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                  |
| 10,000           |     | 4/8/2014          |                               |                               |                  |
| 3                | 28  | 11/15/1987        | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | High Level Alarm |
| <b>1464</b>      |     |                   | Double-Walled                 | Double-Walled                 | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic         |
| Gasoline         |     | 4/8/2014          | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                  |
| 10,000           |     | 4/8/2014          |                               |                               |                  |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** BOZEMAN DEACONESS HOSPITAL  
915 HIGHLAND BLVD  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-09771  
**Last Inspected On:** 2/13/2014  
**Operating Permit Renewal Date:** 4/5/2017

**Contact:** Phil Sparks, (406) 585-5089

**Owners/Operators:** Deaconess Hospital Bozeman, Owner (406)-585-5089 915 HIGHLAND BLVD  
BOZEMAN MT 59715-6902

William Buhl, UST Class A Operator  
Jason Cocke, UST Class A Operator  
William Buhl, UST Class B Operator  
Jason Cocke, UST Class B Operator  
Michael Dawson, UST Class B Operator  
Jason Cocke, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|------------------------------------|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection                                      | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection                                    | Energy Act       |
| 3                | 11  | 7/15/2004         | Concrete                           | Flexible Plastic  | High Level Alarm |
| 4940             | Yes | 10/18/2012        | None                               | Double-Walled   | Yes              |
| Currently in Use |     |                   | Continuous Interstitial Monitoring | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Deferred                           | Continuous Interstitial Monitor, Approved Remote Monitoring |                  |
| 8,000            |     |                   | Gilbarco EMC Basic , Gilbarco      |   |                  |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** PANDA C STORE  
621 BRIDGER DR  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 16-10193

**Last Inspected On:** 2/17/2014

**Operating Permit Renewal Date:** 7/31/2017

**Contact:** William Harston, (406) 587-6280

**Owners/Operators:** Panda Enterprises, Owner (406)-587-6280 621 BRIDGER DR  
BOZEMAN MT 59715-2205

Panda Harston, UST Class A Operator  
William P Harston, UST Class A Operator  
Panda Harston, UST Class B Operator  
William P Harston, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material               | Overfill Types               |
|------------------|-----|-------------------|------------------------------------|-------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option              | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type                   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection        | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection      | Energy Act                   |
| 1                | 26  | 1/5/1990          | Fiberglass Reinforced Plastic      | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>3067</b>      |     |                   | None                               | None                          | Yes                          |
| Currently in Use |     |                   | Not Required                       | Safe Suction                  | Not Applicable               |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2         | Not Listed                    |                              |
| 6,000            |     |                   | TLS-350/Gilbarco EMC , Veeder Root |                               |                              |
| 2                | 26  | 1/5/1990          | Fiberglass Reinforced Plastic      | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>3068</b>      |     |                   | None                               | None                          | Yes                          |
| Currently in Use |     |                   | Not Required                       | Safe Suction                  | Not Applicable               |
| Diesel           |     |                   | Automatic Tank Gauging 0.2         | Not Listed                    |                              |
| 6,000            |     |                   | TLS-350/Gilbarco EMC , Veeder Root |                               |                              |
| 3                | 26  | 1/5/1990          | Fiberglass Reinforced Plastic      | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>4542</b>      |     |                   | None                               | None                          | Yes                          |
| Currently in Use |     |                   | Not Required                       | Safe Suction                  | Not Applicable               |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2         | Not Listed                    |                              |
| 6,000            |     |                   | TLS-350/Gilbarco EMC , Veeder Root |                               |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** BLUE BASKET # 4  
1035 REEVES RD  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 16-13115

**Last Inspected On:** 2/15/2016

**Operating Permit Renewal Date:** 6/30/2019

**Contact:** Michele LaVigne, (406) 586-5770

**Owners/Operators:** Blue Basket Markets Billings, Owner (406)-252-0166 PO BOX 531  
BILLINGS MT 59103-0531

Brit Miller, UST Class A Operator  
Lori Anderson, UST Class B Operator  
Caroline Hargis, UST Class B Operator  
Carrie Hodges, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|-------------------------------|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection  | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection  | Energy Act       |
| 1                | 22  | 4/1/1993          | Cathodically Protected Steel  | Fiberglass Reinforced Plastic   | High Level Alarm |
| <b>456</b>       |     |                   | None                          | None  | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Galvanic         |
| Gasoline         |     | 1/18/2016         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, ELLD Line Tightness Testing |                  |
| 10,000           |     |                   | Gilbarco EMC Basic , Gilbarco |   |                  |
| 2                | 22  | 4/1/1993          | Cathodically Protected Steel  | Fiberglass Reinforced Plastic   | High Level Alarm |
| <b>457</b>       |     |                   | None                          | None  | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Galvanic         |
| Gasoline         |     | 1/18/2016         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, ELLD Line Tightness Testing |                  |
| 10,000           |     |                   | Gilbarco EMC Basic , Gilbarco |   |                  |
| 3                | 22  | 4/1/1993          | Cathodically Protected Steel  | Fiberglass Reinforced Plastic   | High Level Alarm |
| <b>458</b>       |     |                   | None                          | None  | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Galvanic         |
| Diesel           |     | 1/18/2016         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, ELLD Line Tightness Testing |                  |
| 10,000           |     |                   | Gilbarco EMC Basic , Gilbarco |   |                  |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** CASEYS #5  
4135 VALLEY COMMONS DR  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 16-13775

**Last Inspected On:** 11/11/2013

**Operating Permit Renewal Date:** 2/19/2017

**Contact:** Gary Scales, (406) 587-0702

**Owners/Operators:** Story Distributing Company, Owner (406)-587-0702 PO BOX 1201  
BOZEMAN MT 59771  
Jason Shanley, Operator (406)-587-0702 PO BOX 1201  
BOZEMAN MT 59771-1201  
Jason Shanley, UST Class A Operator  
David Lingenfelter, UST Class B Operator  
Damian Lewis, UST Class B Global Operator  
Jason Shanley, UST Class B Global Operator  
Kelly Scott Shutes, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|-------------------------------|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection  | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection  | Energy Act       |
| 1                | 17  | 3/1/1998          | Fiberglass Reinforced Plastic | Flexible Plastic  | Ball Float Valve |
| <b>3407</b>      |     |                   | None                          | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 12,000           |     | 8/7/2013          |                               |   |                  |
| 2                | 17  | 3/1/1998          | Fiberglass Reinforced Plastic | Flexible Plastic  | Ball Float Valve |
| <b>3408</b>      |     |                   | None                          | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 12,000           |     | 8/7/2013          |                               |   |                  |
| 3                | 17  | 3/1/1998          | Fiberglass Reinforced Plastic | Flexible Plastic  | Ball Float Valve |
| <b>3409</b>      |     |                   | None                          | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 12,000           |     | 8/7/2013          |                               |   |                  |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** HOLIDAY STATIONSTORE 305  
1951 DURSTON RD  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 56-13937

**Last Inspected On:** 9/10/2013

**Operating Permit Renewal Date:** 12/20/2016

**Contact:** Ed Huber, (406) 585-3460

**Owners/Operators:** Rocky Mountain Oil Co Inc, Owner (952)-830-8899 ATTN: ENVIRONMENTAL DIRECTOR  
PO BOX 1224  
MINNEAPOLIS MN 55437-1123

Jack Krueger Jr, UST Class A Operator

Ed Huber, UST Class B Operator

Steve Ulery, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material  | Overfill Types   |
|------------------|-----|-------------------|-------------------------------|--|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option                                       | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type  | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection                                 | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection                               | Energy Act       |
| 1                | 16  | 6/1/1999          | Fiberglass Reinforced Plastic | Flexible Plastic                                       | Ball Float Valve |
| <b>4047</b>      |     |                   | Double-Walled                 | Double-Walled  | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized  | Not Applicable   |
| Gasoline         |     | 10/2/2007         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Yes              |
| 8,000            |     | 5/14/2010         |                               |  |                  |
| 2                | 16  | 6/1/1999          | Fiberglass Reinforced Plastic | Flexible Plastic                                       | Ball Float Valve |
| <b>4048</b>      |     |                   | Double-Walled                 | Double-Walled  | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized  | Not Applicable   |
| Gasoline         |     | 10/2/2007         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Yes              |
| 8,000            |     | 5/14/2010         |                               |  |                  |
| 3                | 16  | 6/1/1999          | Fiberglass Reinforced Plastic | Flexible Plastic                                       | Ball Float Valve |
| <b>4566</b>      |     |                   | Double-Walled                 | Double-Walled  | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized  | Not Applicable   |
| Gasoline         |     | 10/2/2007         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Yes              |
| 8,000            |     | 5/14/2010         |                               |  |                  |
| 4                | 16  | 6/1/1999          | Fiberglass Reinforced Plastic | Flexible Plastic                                       | Ball Float Valve |
| <b>4567</b>      |     |                   | Double-Walled                 | Double-Walled  | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized  | Not Applicable   |
| Gasoline         |     | 10/2/2007         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Yes              |
| 8,000            |     | 5/14/2010         |                               |  |                  |



## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** HOLIDAY STATIONSTORE 305  
1951 DURSTON RD  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 56-13937  
**Last Inspected On:** 9/10/2013  
**Operating Permit Renewal Date:** 12/20/2016

**Contact:** Ed Huber, (406) 585-3460

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|-------------------------------|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection  | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection  | Energy Act       |
| 5                | 16  | 6/1/1999          | Fiberglass Reinforced Plastic | Flexible Plastic  | Ball Float Valve |
| 4051             |     |                   | Double-Walled                 | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Not Applicable   |
| Diesel           |     | 10/2/2007         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 8,000            |     | 5/14/2010         |                               |   |                  |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** SIME CONSTRUCTION  
190 RAMSHORN DR  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 56-13960

**Last Inspected On:** 1/18/2016

**Operating Permit Renewal Date:** 6/29/2019

**Contact:** Shawn Sime, (406) 580-1109

**Owners/Operators:** Sime Construction, Owner (406)-582-9841 190 RAMSHORN DRIVE  
BOZEMAN MT 59718-8181  
Shawn Sime, UST Class A Operator  
Matthew Wilmeth, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material                 | Overfill Types   |
|------------------|-----|-------------------|------------------------------------|---------------------------------|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option                | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type                     | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection          | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection        | Energy Act       |
| 1                | 16  | 1/1/2000          | Cathodically Protected Steel       | Flexible Plastic                | High Level Alarm |
| <b>4487</b>      |     | 5/15/2013         | Double-Walled                      | Double-Walled                   | Yes              |
| Currently in Use |     |                   | Continuous Interstitial Monitoring | U.S. Suction                    | Galvanic         |
| Waste Oil        |     | 2/25/2013         | Continuous Interstitial Monitor    | Continuous Interstitial Monitor |                  |
| 2,000            |     |                   | LDE Series , Pneumercator          |                                 |                  |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** COSTCO WHOLESALE GASOLINE BOZEMAN  
2505 CATRON ST  
BOZEMAN, MT 59718 GALLATIN  
**Contact:** (406) 585-0383

**Sys Fac ID:** 60-15075  
**Last Inspected On:** 12/19/2013  
**Operating Permit Renewal Date:** 4/30/2017

**Owners/Operators:** Costco Wholesale, Owner (425)-313-8100 ATTN: LICENSING  
PO BOX 35005  
SEATTLE WA 98124-8990

Dennis Bock, UST Class A Operator  
Dan Martinez, UST Class A Operator  
Mark Medrano, UST Class A Operator  
Michael Schaeffer, UST Class A Operator  
Bruce Thompson, UST Class A Operator  
Nicholas White, UST Class A Operator  
Pamela Williams, UST Class A Operator  
Mark Medrano, UST Class B Operator  
Bruce Thompson, UST Class B Operator  
Nicholas White, UST Class B Operator  
Pamela Williams, UST Class B Operator  
Mike Wilson, UST Class B Operator  
Dennis Bock, UST Class B Global Operator  
Michael Schaeffer, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|---------------------------------|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0      | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                  | Primary Pipe Detection                                      | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                        | Secondary Pipe Detection                                    | Energy Act       |
| 1                | 08  | 10/24/2007        | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic                               | High Level Alarm |
| <b>5130</b>      |     |                   | Double-Walled                   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Continuous Interstitial Monitor | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 30,000           |     |                   |                                 |   | Yes              |
| 2                | 08  | 10/24/2007        | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic                               | High Level Alarm |
| <b>5131</b>      |     |                   | Double-Walled                   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized   | Not Applicable   |
| Gasoline         |     |                   | Continuous Interstitial Monitor | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 30,000           |     |                   |                                 |   | Yes              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** COSTCO WHOLESALE GASOLINE BOZEMAN  
 2505 CATRON ST  
 BOZEMAN, MT 59718 GALLATIN  
**Contact:** (406) 585-0383

**Sys Fac ID:** 60-15075  
**Last Inspected On:** 12/19/2013  
**Operating Permit Renewal Date:** 4/30/2017

| Tank Id             | Age | Installed         | Tank Material of Construction   | Piping Material  | Overfill Types   |
|---------------------|-----|-------------------|---------------------------------|--|------------------|
| Tag Number          | AST | Sump Tightness    | Secondary Option                | Secondary Option   | Spill Protected  |
| Status              |     | Inventory Control | Catastrophic L.D. Type 3.0      | Piping Type  | CP Met Types     |
| Product             |     | Tank/Pipe CP      | Tank Detection                  | Primary Pipe Detection                                       | Vapor Recovery   |
| Capacity            |     | Line Tightness    | ATG Type                        | Secondary Pipe Detection                                     | Energy Act       |
| 3                   | 08  | 10/24/2007        | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic                                | High Level Alarm |
| 5132                |     |                   | Double-Walled                   | Double-Walled  | Yes              |
| Currently in Use    |     |                   | Electronic Line Leak Detector   | Pressurized  | Not Applicable   |
| Gasoline            |     |                   | Continuous Interstitial Monitor | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor  |                  |
| 30,000              |     |                   |                                 |  | Yes              |
| 4                   | 04  | 3/25/2011         | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic                                | High Level Alarm |
| 5282                |     |                   | Double-Walled                   | Double-Walled  | Yes              |
| Currently in Use    |     |                   | Mechanical Line Leak Detector   | Pressurized  | Not Applicable   |
| Hazardous Substance |     |                   | Continuous Interstitial Monitor | Continuous Interstitial Monitor, MLLD Line Tightness Testing |                  |
| 1,500               |     | 11/12/2013        |                                 |  | Yes              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** RESSLER MOTOR COMPANY  
8470 HUFFINE LANE  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 60-15102

**Last Inspected On:** 6/18/2015

**Operating Permit Renewal Date:** 8/18/2018

**Contact:** Richard Thomas, (406) 587-5501

**Owners/Operators:** Ressler Motors Company, Owner (406)-587-5501 PO BOX 400  
BOZEMAN MT 59718-0400  
Chad Karch, UST Class A Operator  
Dennis A Franks, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material                 | Overfill Types   |
|------------------|-----|-------------------|-------------------------------|---------------------------------|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option                | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                     | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection          | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection        | Energy Act       |
| 1                | 07  | 7/8/2008          | Unknown                       | Flexible Plastic                |                  |
| <b>5178</b>      | Yes |                   | None                          | Double-Walled                   | Yes              |
| Currently in Use |     |                   | Auto Dialer                   | Pressurized                     | Not Applicable   |
| Waste Oil        |     |                   | Deferred                      | Continuous Interstitial Monitor |                  |
| 1,100            |     |                   | ILS-350 , Veeder Root         |                                 | Yes              |
| 2                | 07  | 7/8/2008          | Unknown                       | Flexible Plastic                | High Level Alarm |
| <b>5179</b>      | Yes |                   | None                          | Double-Walled                   | Yes              |
| Currently in Use |     |                   | Auto Dialer                   | Pressurized                     | Not Applicable   |
| Waste Oil        |     |                   | Deferred                      | Continuous Interstitial Monitor |                  |
| 1,100            |     |                   | ILS-350 , Veeder Root         |                                 | Yes              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** TOWN PUMP INC BOZEMAN 5  
29001 NORRIS RD  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 60-15119

**Last Inspected On:** 6/23/2015

**Operating Permit Renewal Date:** 10/27/2018

**Contact:** (406) 587-0163

**Owners/Operators:** Billings Holdings LLC, Owner (406)-497-6700 PO BOX 6000  
BUTTE MT 59702-6000  
Trent Biggers, UST Class A Operator  
Trent Biggers, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction  | Piping Material  | Overfill Types                        |
|------------------|-----|-------------------|--|--|---------------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option   | Secondary Option   | Spill Protected                       |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0   | Piping Type  | CP Met Types                          |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection   | Vapor Recovery                        |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection   | Energy Act                            |
| 1                | 07  | 12/8/2008         | Fiberglass Reinforced Plastic  | Fiberglass Reinforced Plastic  | Ball Float Valve,<br>Positive Shutoff |
| <b>5191</b>      |     |                   | Double-Walled  | Double-Walled  | Yes                                   |
| Currently in Use |     |                   | Electronic Line Leak Detector  | Pressurized  | Not Applicable                        |
| Diesel           |     |                   | Continuous Interstitial Monitor, Stat. Inventory<br>Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory<br>Reconciliation, Approved Remote Monitoring |                                       |
| 14,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root   |  | Yes                                   |
| 2                | 07  | 12/8/2008         | Fiberglass Reinforced Plastic  | Fiberglass Reinforced Plastic  | Ball Float Valve,<br>Positive Shutoff |
| <b>5192</b>      |     |                   | Double-Walled  | Double-Walled  | Yes                                   |
| Currently in Use |     |                   | Electronic Line Leak Detector  | Pressurized  | Not Applicable                        |
| Diesel           |     |                   | Continuous Interstitial Monitor, Stat. Inventory<br>Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory<br>Reconciliation, Approved Remote Monitoring |                                       |
| 6,000            |     |                   | TLS-350/Gilbarco EMC , Veeder Root   |  | Yes                                   |
| 3                | 07  | 12/8/2008         | Fiberglass Reinforced Plastic  | Fiberglass Reinforced Plastic  | Ball Float Valve,<br>Positive Shutoff |
| <b>5193</b>      |     |                   | Double-Walled  | Double-Walled  | Yes                                   |
| Currently in Use |     |                   | Electronic Line Leak Detector  | Pressurized  | Not Applicable                        |
| Gasoline         |     |                   | Continuous Interstitial Monitor, Stat. Inventory<br>Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory<br>Reconciliation, Approved Remote Monitoring |                                       |
| 14,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root   |  | Yes                                   |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** TOWN PUMP INC BOZEMAN 5  
29001 NORRIS RD  
BOZEMAN, MT 59718 GALLATIN

**Contact:** (406) 587-0163

**Sys Fac ID:** 60-15119  
**Last Inspected On:** 6/23/2015  
**Operating Permit Renewal Date:** 10/27/2018

| Tank Id          | Age | Installed         | Tank Material of Construction  | Piping Material  | Overfill Types                        |
|------------------|-----|-------------------|--|--|---------------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option   | Secondary Option   | Spill Protected                       |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0   | Piping Type  | CP Met Types                          |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection   | Vapor Recovery                        |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection   | Energy Act                            |
| 4                | 07  | 12/8/2008         | Fiberglass Reinforced Plastic  | Fiberglass Reinforced Plastic  | Ball Float Valve,<br>Positive Shutoff |
| <b>5194</b>      |     |                   | Double-Walled  | Double-Walled  | Yes                                   |
| Currently in Use |     |                   | Electronic Line Leak Detector  | Pressurized  | Not Applicable                        |
| Diesel           |     |                   | Continuous Interstitial Monitor, Stat. Inventory<br>Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory<br>Reconciliation, Approved Remote Monitoring |                                       |
| 6,000            |     |                   | TLS-350/Gilbarco EMC , Veeder Root   |  | Yes                                   |
| 5                | 07  | 12/8/2008         | Fiberglass Reinforced Plastic  | Fiberglass Reinforced Plastic  | Ball Float Valve,<br>Positive Shutoff |
| <b>5195</b>      |     |                   | Double-Walled  | Double-Walled  | Yes                                   |
| Currently in Use |     |                   | Electronic Line Leak Detector  | Pressurized  | Not Applicable                        |
| Gasoline         |     |                   | Continuous Interstitial Monitor, Stat. Inventory<br>Reconciliation, Approved Remote Monitoring | Continuous Interstitial Monitor, Stat. Inventory<br>Reconciliation, Approved Remote Monitoring |                                       |
| 20,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root   |  | Yes                                   |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** TOWN PUMP BOZEMAN 7  
1871 BAXTER LN  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 60-15205

**Last Inspected On:** 4/29/2013

**Operating Permit Renewal Date:** 7/16/2016

**Contact:** Trent Biggers, (406) 497-6700

**Owners/Operators:** Montana Growth Opportunities LLC, Owner (406)-497-6700 600 SOUTH MAIN  
BUTTE MT 59701  
Arnold Osmun, Operator 2917 STATE ST  
BUTTE MT 59701  
Trent Biggers, UST Class A Operator  
Trent Biggers, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                              | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|--|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option   | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                                 | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection        | Energy Act                   |
| 2                | 03  | 12/1/2012         | Fiberglass Reinforced Plastic                              | Fiberglass Reinforced Plastic   | Flapper Valve (Auto Shutoff) |
| <b>5348</b>      |     |                   | Double-Walled  | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                              | Pressurized                     | Not Applicable               |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation | Continuous Interstitial Monitor |                              |
| 20,000           |     |                   |  | Stat. Inventory Reconciliation  | Yes                          |
| 3                | 03  | 12/1/2012         | Fiberglass Reinforced Plastic                              | Fiberglass Reinforced Plastic   | Flapper Valve (Auto Shutoff) |
| <b>5349</b>      |     |                   | Double-Walled  | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                              | Pressurized                     | Not Applicable               |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation | Continuous Interstitial Monitor |                              |
| 15,000           |     |                   |  | Stat. Inventory Reconciliation  | Yes                          |
| 4                | 03  | 12/1/2012         | Fiberglass Reinforced Plastic                              | Fiberglass Reinforced Plastic   | Flapper Valve (Auto Shutoff) |
| <b>5350</b>      |     |                   | Double-Walled  | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                              | Pressurized                     | Not Applicable               |
| Diesel           |     |                   | Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation | Continuous Interstitial Monitor |                              |
| 6,000            |     |                   |  | Stat. Inventory Reconciliation  | Yes                          |



## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** TOWN PUMP BOZEMAN 7  
1871 BAXTER LN  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 60-15205  
**Last Inspected On:** 4/29/2013  
**Operating Permit Renewal Date:** 7/16/2016

**Contact:** Trent Biggers, (406) 497-6700

| Tank Id          | Age | Installed         | Tank Material of Construction                              | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|--|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option   | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                                 | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection        | Energy Act                   |
| 5                | 03  | 12/1/2012         | Fiberglass Reinforced Plastic                              | Fiberglass Reinforced Plastic   | Flapper Valve (Auto Shutoff) |
| <b>5351</b>      |     |                   | Double-Walled  | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                              | Pressurized                     | Not Applicable               |
| Diesel           |     |                   | Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation | Continuous Interstitial Monitor |                              |
| 15,000           |     |                   |  | Stat. Inventory Reconciliation  | Yes                          |
| 6                | 03  | 12/1/2012         | Fiberglass Reinforced Plastic                              | Fiberglass Reinforced Plastic   | Flapper Valve (Auto Shutoff) |
| <b>5352</b>      |     |                   | Double-Walled  | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                              | Pressurized                     | Not Applicable               |
| Diesel           |     |                   | Automatic Tank Gauging 0.2, Stat. Inventory Reconciliation | Continuous Interstitial Monitor |                              |
| 6,000            |     |                   |  | Stat. Inventory Reconciliation  | Yes                          |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** SMITHS #170 FUEL CENTER  
1735 W OAK STREET  
BOZEMAN, MT 59715 GALLATIN

**Sys Fac ID:** 60-15234

**Last Inspected On:** 3/24/2014

**Operating Permit Renewal Date:** 6/16/2017

**Contact:** David Harris, (801) 974-1206

**Owners/Operators:** Smiths Food and Drug, Owner (801)-974-1529 1550 S REDWOOD RD  
SALT LAKE CITY UT 84104-5105

David Harris, Operator (801)-974-1206 PO BOX 244  
WINNETT MT 59087-0244

Gary Dotseth, UST Class A Operator  
Todd Dotseth, UST Class A Operator  
David Harris, UST Class A Operator  
Todd Dotseth, UST Class B Operator  
Gary Dotseth, UST Class B Global Operator  
David Harris, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                               | Piping Material   | Overfill Types   |
|------------------|-----|-------------------|---|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option  | Secondary Option  | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                                  | Piping Type   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection  | Primary Pipe Detection                                      | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type  | Secondary Pipe Detection                                    | Energy Act       |
| 1                | 02  | 11/1/2013         | Fiberglass Reinforced Plastic                               | Flexible Plastic  | High Level Alarm |
| <b>5443</b>      |     | 11/14/2013        | Double-Walled   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector                               | Pressurized   | Not Applicable   |
| Gasoline         |     | 11/19/2013        | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 20,000           |     | 12/17/2013        | TLS-450 , Veeder Root                                       | Continuous Interstitial Monitor, Not Listed                 | Yes              |
| 2                | 02  | 11/1/2013         | Fiberglass Reinforced Plastic                               | Flexible Plastic  | High Level Alarm |
| <b>5444</b>      |     | 11/14/2013        | Double-Walled   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector                               | Pressurized   | Not Applicable   |
| Diesel           |     | 11/19/2013        | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 10,000           |     | 12/17/2013        | TLS-450 , Veeder Root                                       | Continuous Interstitial Monitor, Not Listed                 | Yes              |
| 3                | 02  | 11/1/2013         | Fiberglass Reinforced Plastic                               | Flexible Plastic  | High Level Alarm |
| <b>5445</b>      |     | 11/14/2013        | Double-Walled   | Double-Walled   | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector                               | Pressurized   | Not Applicable   |
| Gasoline         |     | 11/19/2013        | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                  |
| 8,000            |     | 12/17/2013        | TLS-450 , Veeder Root                                       | Continuous Interstitial Monitor, Not Listed                 | Yes              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** Bozeman #8 Town Pump  
5050 S COTTONWOOD RD  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 60-15244

**Last Inspected On:** 2/25/2015

**Operating Permit Renewal Date:** 3/5/2018

**Contact:** Trent Biggers, (406) 497-6700

**Owners/Operators:** Park Street Holdings LLC, Owner

(406)-467-6700

PO BOX 6000  
BUTTE MT 59702-6000

Trent Biggers, Operator

(406)-497-6700

PO BOX 6000  
BUTTE MT 59702-6000

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material                             | Overfill Types               |
|------------------|-----|-------------------|---------------------------------|---|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                | Secondary Option                            | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0      | Piping Type                                 | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                  | Primary Pipe Detection                      | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                        | Secondary Pipe Detection                    | Energy Act                   |
| 1                | 01  | 8/1/2014          | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic               | Flapper Valve (Auto Shutoff) |
| <b>5479</b>      |     | 9/15/2014         | Double-Walled                   | Double-Walled                               | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized                                 | Not Applicable               |
| Gasoline         |     |                   | Continuous Interstitial Monitor | Continuous Interstitial Monitor, Not Listed |                              |
| 20,000           |     |                   | TLS-450 , Veeder Root           | Not Listed                                  |                              |
| 2                | 01  | 8/14/2014         | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic               | Flapper Valve (Auto Shutoff) |
| <b>5480</b>      |     | 9/15/2014         | Double-Walled                   | Double-Walled                               | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized                                 | Not Applicable               |
| Gasoline         |     |                   | Continuous Interstitial Monitor | Continuous Interstitial Monitor, Not Listed |                              |
| 15,000           |     |                   | TLS-450 , Veeder Root           | Not Listed                                  |                              |
| 3                | 01  | 8/14/2014         | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic               | Positive Shutoff             |
| <b>5481</b>      |     | 9/15/2014         | Double-Walled                   | Double-Walled                               | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized                                 | Not Applicable               |
| Diesel           |     |                   | Continuous Interstitial Monitor | Continuous Interstitial Monitor, Not Listed |                              |
| 6,000            |     |                   | TLS-450 , Veeder Root           | Not Listed                                  |                              |
| 4                | 01  | 8/14/2014         | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic               | Positive Shutoff             |
| <b>5482</b>      |     | 9/15/2014         | Double-Walled                   | Double-Walled                               | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized                                 | Not Applicable               |
| Diesel           |     |                   | Continuous Interstitial Monitor | Continuous Interstitial Monitor, Not Listed |                              |
| 15,000           |     |                   | TLS-450 , Veeder Root           | Not Listed                                  |                              |

## Facility Summary in GALLATIN County in the City of BOZEMAN

**Location:** Bozeman #8 Town Pump  
5050 S COTTONWOOD RD  
BOZEMAN, MT 59718 GALLATIN

**Sys Fac ID:** 60-15244

**Last Inspected On:** 2/25/2015

**Operating Permit Renewal Date:** 3/5/2018

**Contact:** Trent Biggers, (406) 497-6700

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material                             | Overfill Types   |
|------------------|-----|-------------------|---------------------------------|---|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                | Secondary Option                            | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0      | Piping Type                                 | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                  | Primary Pipe Detection                      | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                        | Secondary Pipe Detection                    | Energy Act       |
| 5                | 01  | 8/14/2014         | Fiberglass Reinforced Plastic   | Fiberglass Reinforced Plastic               | Positive Shutoff |
| 5483             |     | 9/15/2014         | Double-Walled                   | Double-Walled                               | Yes              |
| Currently in Use |     |                   | Electronic Line Leak Detector   | Pressurized                                 | Not Applicable   |
| Diesel           |     |                   | Continuous Interstitial Monitor | Continuous Interstitial Monitor, Not Listed |                  |
| 6,000            |     |                   | TLS-450 , Veeder Root           | Not Listed                                  |                  |

## Facility Summary in GALLATIN County in the City of GALLATIN GATEWAY

**Location:** CASEYS #6  
 47650 GALLATIN RD  
 GALLATIN GATEWAY, MT 59730 GALLATIN  
**Contact:** Gary Scales, (406) 587-7438

**Sys Fac ID:** 16-06923  
**Last Inspected On:** 7/1/2014  
**Operating Permit Renewal Date:** 9/10/2017

**Owners/Operators:** Story Distributing Company, Owner (406)-587-0702 PO BOX 1201  
 BOZEMAN MT 59771  
 Jason Shanley, Operator (406)-587-0702 PO BOX 1201  
 BOZEMAN MT 59771-1201  
 Damian Lewis, UST Class A Operator  
 Jason Shanley, UST Class A Operator  
 Cheryl Caton, UST Class B Operator  
 Damian Lewis, UST Class B Operator  
 Barbara Pozega, UST Class B Operator  
 Jason Shanley, UST Class B Operator  
 Amber Wiatt, UST Class B Operator  
 Kelly Scott Shutes, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection        | Energy Act                   |
| 1                | 30  | 9/1/1985          | Cathodically Protected Steel  | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>4556</b>      |     |                   | Impressed Current             | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized                     | Impressed Current            |
| Gasoline         |     | 7/1/2014          | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2      |                              |
| 10,000           |     |                   | TLS-300 , Veeder Root         | Continuous Interstitial Monitor |                              |
| 2                | 30  | 9/1/1985          | Cathodically Protected Steel  | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>4557</b>      |     |                   | Impressed Current             | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized                     | Impressed Current            |
| Gasoline         |     | 7/1/2014          | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2      |                              |
| 10,000           |     |                   | TLS-300 , Veeder Root         | Continuous Interstitial Monitor |                              |

## Facility Summary in GALLATIN County in the City of GALLATIN GATEWAY

**Location:** CASEYS #6  
 47650 GALLATIN RD  
 GALLATIN GATEWAY, MT 59730 GALLATIN  
**Contact:** Gary Scales, (406) 587-7438

**Sys Fac ID:** 16-06923  
**Last Inspected On:** 7/1/2014  
**Operating Permit Renewal Date:** 9/10/2017

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection        | Energy Act                   |
| 3                | 30  | 9/1/1985          | Cathodically Protected Steel  | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>4558</b>      |     |                   | Impressed Current             | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized                     | Impressed Current            |
| Diesel           |     | 7/1/2014          | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2      |                              |
| 10,000           |     |                   | TLS-300 , Veeder Root         | Continuous Interstitial Monitor |                              |

## Facility Summary in GALLATIN County in the City of GALLATIN GATEWAY

**Location:** CASEYS #9  
76250 GALLATIN RD  
GALLATIN GATEWAY, MT 59730 GALLATIN  
**Contact:** Gary Scales, (406) 587-7438

**Sys Fac ID:** 16-09998  
**Last Inspected On:** 12/3/2014  
**Operating Permit Renewal Date:** 2/20/2018

**Owners/Operators:** Story Distributing Company, Owner (406)-587-0702 PO BOX 1201  
BOZEMAN MT 59771  
Jason Shanley, Operator (406)-587-0702 PO BOX 1201  
BOZEMAN MT 59771-1201  
Jason Shanley, UST Class A Operator  
Kristy Saul, UST Class B Operator  
Jason Shanley, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material               | Overfill Types   |
|------------------|-----|-------------------|--|-------------------------------|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option              | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type                   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection        | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection      | Energy Act       |
| 1                | 22  | 11/19/1993        | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic | Ball Float Valve |
| <b>4496</b>      |     |                   | None   | None                          | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                   | Galvanic         |
| Gasoline         |     | 12/3/2014         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing   |                  |
| 4,000            |     | 4/8/2014          | TLS-350/Gilbarco EMC , Veeder Root                     |                               |                  |
| 2                | 22  | 11/19/1993        | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic | Ball Float Valve |
| <b>4494</b>      |     |                   | None   | None                          | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                   | Galvanic         |
| Diesel           |     | 12/3/2014         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing   |                  |
| 4,000            |     | 4/8/2014          | TLS-350/Gilbarco EMC , Veeder Root                     |                               |                  |
| 3                | 22  | 11/19/1993        | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic | Ball Float Valve |
| <b>4495</b>      |     |                   | None   | None                          | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                   | Galvanic         |
| Gasoline         |     | 12/3/2014         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing   |                  |
| 8,000            |     | 4/8/2014          | TLS-350/Gilbarco EMC , Veeder Root                     |                               |                  |

## Facility Summary in GALLATIN County in the City of GALLATIN GATEWAY

**Location:** CASEYS #9  
76250 GALLATIN RD  
GALLATIN GATEWAY, MT 59730 GALLATIN

**Contact:** Gary Scales, (406) 587-7438

**Sys Fac ID:** 16-09998  
**Last Inspected On:** 12/3/2014  
**Operating Permit Renewal Date:** 2/20/2018

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material               | Overfill Types   |
|------------------|-----|-------------------|--|-------------------------------|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option              | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type                   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection        | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection      | Energy Act       |
| 4                | 22  | 11/19/1993        | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic | Ball Float Valve |
| <b>4492</b>      |     |                   | None   | None                          | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                   | Galvanic         |
| Gasoline         |     | 12/3/2014         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing   |                  |
| 10,000           |     | 4/8/2014          | TLS-350/Gilbarco EMC , Veeder Root                     |                               |                  |
| 5                | 22  | 11/19/1993        | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic | Ball Float Valve |
| <b>4493</b>      |     |                   | None   | None                          | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                   | Galvanic         |
| Diesel           |     | 12/3/2014         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing   |                  |
| 6,000            |     | 4/8/2014          | TLS-350/Gilbarco EMC , Veeder Root                     |                               |                  |



## Facility Summary in GALLATIN County in the City of MANHATTAN

**Location:** DANHOF CHEVROLET INC  
6605 AMSTERDAM RD  
MANHATTAN, MT 59741 GALLATIN

**Sys Fac ID:** 16-01367

**Last Inspected On:** 4/12/2015

**Operating Permit Renewal Date:** 4/16/2018

**Contact:** Joe Danhof, (406) 282-7231

**Owners/Operators:** Danhof Chevrolet Inc, Owner

(406)-282-7231

6605 AMSTERDAM RD  
MANHATTAN MT 59741-8315

Wayne Klompfen, UST Class A Operator

Dennis A Franks, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|--|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection        | Energy Act                   |
| 9                | 29  | 6/13/1986         | Cathodically Protected Steel                           | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>800</b>       |     |                   | None   | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                     | Galvanic                     |
| Diesel           |     | 4/14/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing     |                              |
| 8,000            |     | 4/14/2015         | TLS-300 , Veeder Root                                  | Continuous Interstitial Monitor |                              |
| 10               | 29  | 6/13/1986         | Cathodically Protected Steel                           | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>801</b>       |     |                   | None   | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                     | Galvanic                     |
| Gasoline         |     | 4/14/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing     |                              |
| 8,000            |     | 4/14/2015         | TLS-300 , Veeder Root                                  | Continuous Interstitial Monitor |                              |
| 11               | 29  | 6/13/1986         | Cathodically Protected Steel                           | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>802</b>       |     |                   | None   | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                     | Galvanic                     |
| Gasoline         |     | 4/14/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing     |                              |
| 8,000            |     | 4/14/2015         | TLS-300 , Veeder Root                                  | Continuous Interstitial Monitor |                              |

## Facility Summary in GALLATIN County in the City of MANHATTAN

**Location:** DANHOF CHEVROLET INC  
6605 AMSTERDAM RD  
MANHATTAN, MT 59741 GALLATIN

**Contact:** Joe Danhof, (406) 282-7231

**Sys Fac ID:** 16-01367  
**Last Inspected On:** 4/12/2015  
**Operating Permit Renewal Date:** 4/16/2018

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|--|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection        | Energy Act                   |
| 12               | 17  | 12/1/1998         | Cathodically Protected Steel                           | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>3592</b>      |     |                   | None   | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                     | Galvanic                     |
| Gasoline         |     | 4/14/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing     |                              |
| 8,000            |     | 4/14/2015         | TLS-300 , Veeder Root                                  | Continuous Interstitial Monitor |                              |
| 13               | 17  | 12/1/1998         | Cathodically Protected Steel                           | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>3593</b>      |     |                   | None   | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                     | Galvanic                     |
| Diesel           |     | 4/14/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing     |                              |
| 4,000            |     | 4/14/2015         | TLS-300 , Veeder Root                                  | Continuous Interstitial Monitor |                              |

## Facility Summary in GALLATIN County in the City of MANHATTAN

**Location:** THRIFTWAY SUPER STOP 12 (ME & JAN'S MINI MART III)  
404 S BROADWAY ST  
MANHATTAN, MT 59741 GALLATIN

**Sys Fac ID:** 16-03431

**Last Inspected On:** 6/4/2013

**Operating Permit Renewal Date:** 6/12/2016

**Contact:** (406) 284-3343

**Owners/Operators:** Sutey Oil Co Inc, Owner (406)-494-2305 2000 HOLMES AVE  
BUTTE MT 59701-3553

Bryan Kelsey, UST Class A Operator  
Louie Sutey, UST Class A Operator  
Melissa Damuth, UST Class B Operator  
Jennifer Gleason, UST Class B Operator  
Bryan Kelsey, UST Class B Operator  
Sadye Macrow, UST Class B Operator  
Kristin Petersen, UST Class B Operator  
Dave Stine, UST Class B Operator  
Faith Wiedeman, UST Class B Operator  
Louie Sutey, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material   | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|---|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option  | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection                                  | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection                                | Energy Act                   |
| 4                | 18  | 5/1/1997          | Fiberglass Reinforced Plastic | Fiberglass Reinforced Plastic                           | Flapper Valve (Auto Shutoff) |
| <b>809</b>       |     |                   | None                          | None  | Yes                          |
| Currently in Use |     | 5/1/2007          | Electronic Line Leak Detector | Pressurized   | Not Applicable               |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, MLLD Line Tightness Testing |                              |
| 12,000           |     |                   |                               |   |                              |
| 5                | 18  | 5/1/1997          | Fiberglass Reinforced Plastic | Fiberglass Reinforced Plastic                           | Flapper Valve (Auto Shutoff) |
| <b>810</b>       |     |                   | None                          | None  | Yes                          |
| Currently in Use |     | 5/1/2007          | Electronic Line Leak Detector | Pressurized   | Not Applicable               |
| Diesel           |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, MLLD Line Tightness Testing |                              |
| 8,000            |     |                   |                               |   |                              |

## Facility Summary in GALLATIN County in the City of MANHATTAN

**Location:** THRIFTWAY SUPER STOP 12 (ME & JAN'S MINI MART III)  
 404 S BROADWAY ST  
 MANHATTAN, MT 59741 GALLATIN  
**Contact:** (406) 284-3343

**Sys Fac ID:** 16-03431  
**Last Inspected On:** 6/4/2013  
**Operating Permit Renewal Date:** 6/12/2016

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material   | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|---|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option  | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection                                      | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection                                    | Energy Act                   |
| 6                | 18  | 5/1/1997          | Fiberglass Reinforced Plastic | Fiberglass Reinforced Plastic                               | Flapper Valve (Auto Shutoff) |
| <b>811</b>       |     |                   | None                          | None  | Yes                          |
| Currently in Use |     | 5/1/2007          | Electronic Line Leak Detector | Pressurized   | Not Applicable               |
| Diesel           |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, MLLD Line Tightness Testing     |                              |
| 5,000            |     |                   |                               |   |                              |
| 7                | 08  | 12/4/2007         | Fiberglass Reinforced Plastic | Fiberglass Reinforced Plastic                               | Flapper Valve (Auto Shutoff) |
| <b>5124</b>      |     |                   | None                          | Double-Walled   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized   | Not Applicable               |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.2, Continuous Interstitial Monitor |                              |
| 15,000           |     |                   |                               |   | Yes                          |

## Facility Summary in GALLATIN County in the City of MANHATTAN

**Location:** SCHUTTER SEED FARM, INC  
3627 WOODEN SHOE RD  
MANHATTAN, MT 59741 GALLATIN

**Sys Fac ID:** 16-10184

**Last Inspected On:** 10/22/2014

**Operating Permit Renewal Date:** 3/26/2018

**Contact:** Sid Schutter, (406) 284-6478

**Owners/Operators:** Schutter Seed Farm, Inc, Owner (406)-284-6478 3627 WOODEN SHOE RD  
MANHATTAN MT 59741-8108  
Sid Schutter, Operator (406)-284-6478 3131 WOODEN SHOE ROAD  
MANHATTAN MT 59741  
Sid Schutter, UST Class A Operator  
Dennis A Franks, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material          | Overfill Types               |
|------------------|-----|-------------------|------------------------------------|--------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option         | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type              | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection   | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection | Energy Act                   |
| 2                | 22  | 1/1/1994          | Cathodically Protected Steel       | Steel                    | Flapper Valve (Auto Shutoff) |
| <b>1909</b>      |     |                   | None                               | Double-Walled            | Yes                          |
| Currently in Use |     |                   | Not Required                       | Safe Suction             | Galvanic                     |
| Diesel           |     | 10/22/2014        | Automatic Tank Gauging 0.2         | Deferred                 |                              |
| 2,000            |     |                   | TLS-350/Gilbarco EMC , Veeder Root |                          |                              |
| 3                | 22  | 1/1/1994          | Cathodically Protected Steel       | Steel                    | Flapper Valve (Auto Shutoff) |
| <b>1910</b>      |     |                   | None                               | Double-Walled            | Yes                          |
| Currently in Use |     |                   | Not Required                       | Safe Suction             | Galvanic                     |
| Gasoline         |     | 10/22/2014        | Automatic Tank Gauging 0.2         | Deferred                 |                              |
| 10,000           |     |                   | TLS-350/Gilbarco EMC , Veeder Root |                          |                              |

## Facility Summary in GALLATIN County in the City of MANHATTAN

**Location:** HARLOWS SCHOOL BUS SVC  
1085 YADON RD  
MANHATTAN, MT 59741 GALLATIN

**Sys Fac ID:** 56-13969  
**Last Inspected On:** 4/11/2014

**Operating Permit Renewal Date:**

**Contact:** Justin Hageness, (406) 284-4055

**Owners/Operators:** HJJ Properties LLC, Owner (406)-284-4055 1085 YADON ROAD  
MANHATTAN MT 59741  
Justin Hageness, Operator (406)-284-4055 1085 YADON ROAD  
MANHATTAN MT 59741

| Tank Id                | Age | Installed         | Tank Material of Construction                          | Piping Material               | Overfill Types   |
|------------------------|-----|-------------------|--|-------------------------------|------------------|
| Tag Number             | AST | Sump Tightness    | Secondary Option                                       | Secondary Option              | Spill Protected  |
| Status                 |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type                   | CP Met Types     |
| Product                |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection        | Vapor Recovery   |
| Capacity               |     | Line Tightness    | ATG Type   | Secondary Pipe Detection      | Energy Act       |
| 1                      | 16  | 12/30/1999        | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic | High Level Alarm |
| <b>4142</b>            |     |                   | None   | None                          | Yes              |
| Temporarily Out of Use |     |                   | Not Required   | Safe Suction                  | Galvanic         |
| Diesel                 |     | 4/14/2014         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Not Listed                    |                  |
| 1,000                  |     |                   |  |                               |                  |
| 2                      | 16  | 12/30/1999        | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic | High Level Alarm |
| <b>4143</b>            |     |                   | None   | None                          | Yes              |
| Temporarily Out of Use |     |                   | Not Required   | Safe Suction                  | Galvanic         |
| Diesel                 |     | 4/14/2014         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Not Listed                    |                  |
| 500                    |     |                   |  |                               |                  |

## Facility Summary in GALLATIN County in the City of THREE FORKS

**Location:** FOLKVORD INVESTMENTS LLC  
2 S MAIN ST  
THREE FORKS, MT 59752 GALLATIN

**Contact:** Ed Nave, (406) 580-3186

**Sys Fac ID:** 16-00668  
**Last Inspected On:** 10/7/2014  
**Operating Permit Renewal Date:**

**Owners/Operators:** Folkvord Investments LLC, Owner (406)-285-3614 10847 US HIGHWAY 287  
THREE FORKS MT 59752-9504

Ed Nave, UST Class A Operator  
Fred Vandolah, UST Class A Operator  
Pamela G VanDolah Pres, UST Class A Operator  
Norma Madan, UST Class B Operator  
Julie Petek, UST Class B Operator  
Tracey Setzer, UST Class B Operator  
Jack Stefanik, UST Class B Operator  
Fred Vandolah, UST Class B Operator  
Pamela G VanDolah Pres, UST Class B Operator  
Shelley Bacon, UST Class B Global Operator

| Tank Id                | Age | Installed         | Tank Material of Construction                          | Piping Material             | Overfill Types    |
|------------------------|-----|-------------------|--|-----------------------------|-------------------|
| Tag Number             | AST | Sump Tightness    | Secondary Option                                       | Secondary Option            | Spill Protected   |
| Status                 |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type                 | CP Met Types      |
| Product                |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection      | Vapor Recovery    |
| Capacity               |     | Line Tightness    | ATG Type   | Secondary Pipe Detection    | Energy Act        |
| 3                      | 30  | 4/24/1985         | Cathodically Protected Steel                           | Steel                       | High Level Alarm  |
| <b>4498</b>            |     |                   | Lined Interior/Impressed Current                       | None                        | Yes               |
| Temporarily Out of Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                 | Impressed Current |
| Gasoline               |     | 9/22/2014         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing |                   |
| 6,000                  |     | 10/26/2012        |  |                             |                   |
| 4                      | 30  | 4/24/1985         | Cathodically Protected Steel                           | Steel                       | High Level Alarm  |
| <b>3846</b>            |     |                   | Lined Interior/Impressed Current                       | None                        | Yes               |
| Temporarily Out of Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                 | Impressed Current |
| Gasoline               |     | 9/22/2014         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing |                   |
| 2,000                  |     | 10/26/2012        |  |                             |                   |

## Facility Summary in GALLATIN County in the City of THREE FORKS

**Location:** FOLKVORD INVESTMENTS LLC  
 2 S MAIN ST  
 THREE FORKS, MT 59752      GALLATIN

**Contact:** Ed Nave, (406) 580-3186

**Sys Fac ID:** 16-00668  
**Last Inspected On:** 10/7/2014  
**Operating Permit Renewal Date:**

| Tank Id                | Age | Installed         | Tank Material of Construction                          | Piping Material             | Overfill Types    |
|------------------------|-----|-------------------|--|-----------------------------|-------------------|
| Tag Number             | AST | Sump Tightness    | Secondary Option                                       | Secondary Option            | Spill Protected   |
| Status                 |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type                 | CP Met Types      |
| Product                |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection      | Vapor Recovery    |
| Capacity               |     | Line Tightness    | ATG Type   | Secondary Pipe Detection    | Energy Act        |
| 5                      | 30  | 4/24/1985         | Cathodically Protected Steel                           | Steel                       | High Level Alarm  |
| <b>3847</b>            |     |                   | Lined Interior/Impressed Current                       | None                        | Yes               |
| Temporarily Out of Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                 | Impressed Current |
| Diesel                 |     | 9/22/2014         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing |                   |
| 4,000                  |     | 10/26/2012        |  |                             |                   |



## Facility Summary in GALLATIN County in the City of THREE FORKS

**Location:** THRIFTWAY CONOCO 15  
5 S MAIN ST  
THREE FORKS, MT 59752 GALLATIN  
**Contact:** Fred R Norman, (406) 285-3710

**Sys Fac ID:** 16-00987  
**Last Inspected On:** 6/4/2013  
**Operating Permit Renewal Date:** 6/12/2016

**Owners/Operators:** Sutey Oil Co Inc, Owner (406)-494-2305 2000 HOLMES AVE  
BUTTE MT 59701-3553

Bryan Kelsey, UST Class A Operator  
Louie Sutey, UST Class A Operator  
Melissa Damuth, UST Class B Operator  
Bryan Kelsey, UST Class B Operator  
Gayle Ross, UST Class B Operator  
Dave Stine, UST Class B Operator  
Louie Sutey, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material               | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|-------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option              | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection        | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection      | Energy Act                   |
| 1                | 21  | 4/1/1994          | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>523</b>       |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic                     |
| Diesel           |     | 6/17/2013         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 4,000            |     | 7/25/2012         |                               |                               |                              |
| 2                | 21  | 4/1/1994          | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>524</b>       |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic                     |
| Diesel           |     | 6/17/2013         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 4,000            |     | 7/25/2012         |                               |                               |                              |
| 3                | 21  | 4/1/1994          | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>525</b>       |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic                     |
| Diesel           |     | 6/17/2013         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 4,000            |     | 7/25/2012         |                               |                               |                              |

## Facility Summary in GALLATIN County in the City of THREE FORKS

**Location:** THRIFTWAY CONOCO 15  
5 S MAIN ST  
THREE FORKS, MT 59752 GALLATIN

**Contact:** Fred R Norman, (406) 285-3710

**Sys Fac ID:** 16-00987  
**Last Inspected On:** 6/4/2013  
**Operating Permit Renewal Date:** 6/12/2016

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material               | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|-------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option              | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection        | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection      | Energy Act                   |
| 4                | 21  | 4/1/1994          | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>526</b>       |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic                     |
| Diesel           |     | 6/17/2013         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 4,000            |     | 7/25/2012         |                               |                               |                              |
| 11               | 21  | 4/1/1994          | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>520</b>       |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic                     |
| Gasoline         |     | 6/17/2013         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 12,000           |     | 7/25/2012         |                               |                               |                              |
| 12               | 21  | 4/1/1994          | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>521</b>       |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic                     |
| Gasoline         |     | 6/17/2013         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 3,000            |     | 7/25/2012         |                               |                               |                              |
| 13               | 21  | 4/1/1994          | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>522</b>       |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic                     |
| Gasoline         |     | 6/17/2013         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 3,000            |     | 7/25/2012         |                               |                               |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** CORNER CENEX  
136 N CANYON ST  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-00055  
**Last Inspected On:** 5/13/2014  
**Operating Permit Renewal Date:** 9/5/2017

**Contact:** Tim Heideman, (406) 539-7111

|  |  |   |
|--|--|---|
| <b>Owners/Operators:</b> Leftys Corner Corp, Owner<br><br>Timothy Heideman, Operator<br><br>Timothy Heideman, UST Class A Operator<br>Timothy Heideman, UST Class B Operator | (406)-646-7632<br><br><br>(406)-646-7112 | PO BOX 648<br>WEST YELLOWSTONE MT 59758<br><br>PO BOX 648<br>WEST YELLOWSTONE MT 59758-0648 |
|--|--|---|

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material  | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|--|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option                                       | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type  | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection                                 | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection                               | Energy Act                   |
| 1                | 24  | 10/1/1991         | Cathodically Protected Steel  | Fiberglass Reinforced Plastic                          | Flapper Valve (Auto Shutoff) |
| <b>2263</b>      |     |                   | None                          | None   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized  | Galvanic                     |
| Gasoline         |     | 5/13/2014         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 |                              |
| 10,000           |     | 5/13/2014         | Gilbarco EMC Basic , Gilbarco |  |                              |
| 2                | 24  | 10/1/1991         | Cathodically Protected Steel  | Fiberglass Reinforced Plastic                          | Flapper Valve (Auto Shutoff) |
| <b>2264</b>      |     |                   | None                          | None   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized  | Galvanic                     |
| Gasoline         |     | 5/13/2014         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 |                              |
| 10,000           |     | 5/13/2014         | Gilbarco EMC Basic , Gilbarco |  |                              |
| 3                | 24  | 10/1/1991         | Cathodically Protected Steel  | Fiberglass Reinforced Plastic                          | Flapper Valve (Auto Shutoff) |
| <b>2265</b>      |     |                   | None                          | None   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized  | Galvanic                     |
| Gasoline         |     | 5/13/2014         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 |                              |
| 6,000            |     | 5/13/2014         | Gilbarco EMC Basic , Gilbarco |  |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** CORNER CENEX  
136 N CANYON ST  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-00055  
**Last Inspected On:** 5/13/2014  
**Operating Permit Renewal Date:** 9/5/2017

**Contact:** Tim Heideman, (406) 539-7111

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material  | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|--|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option                                       | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type  | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection                                 | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection                               | Energy Act                   |
| 4                | 24  | 10/1/1991         | Cathodically Protected Steel  | Fiberglass Reinforced Plastic                          | Flapper Valve (Auto Shutoff) |
| 2266             |     |                   | None                          | None   | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector | Pressurized  | Galvanic                     |
| Diesel           |     | 5/13/2014         | Automatic Tank Gauging 0.2    | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 |                              |
| 4,000            |     | 5/13/2014         | Gilbarco EMC Basic , Gilbarco |  |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** WESTGATE STATION  
11 YELLOWSTONE AVE  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-03734  
**Last Inspected On:** 10/8/2014  
**Operating Permit Renewal Date:** 1/14/2018

**Contact:** (406) 646-7654

**Owners/Operators:** Westgate Station, Owner (406)-646-7651 PO BOX 1769  
WEST YELLOWSTONE MT 59758-1769  
Cole Parker, UST Class A Operator  
Cole Parker, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material               | Overfill Types   |
|------------------|-----|-------------------|------------------------------------|-------------------------------|------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option              | Spill Protected  |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type                   | CP Met Types     |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection        | Vapor Recovery   |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection      | Energy Act       |
| 9                | 17  | 10/1/1998         | Fiberglass Reinforced Plastic      | Fiberglass Reinforced Plastic | Ball Float Valve |
| <b>3108</b>      |     |                   | None                               | None                          | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector      | Pressurized                   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2         | MLLD Line Tightness Testing   |                  |
| 10,000           |     | 10/8/2014         | TLS-350/Gilbarco EMC , Veeder Root |                               |                  |
| 10               | 17  | 10/1/1998         | Fiberglass Reinforced Plastic      | Fiberglass Reinforced Plastic | Ball Float Valve |
| <b>3109</b>      |     |                   | None                               | None                          | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector      | Pressurized                   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2         | MLLD Line Tightness Testing   |                  |
| 10,000           |     | 4/8/2015          | TLS-350/Gilbarco EMC , Veeder Root |                               |                  |
| 11               | 17  | 10/1/1998         | Fiberglass Reinforced Plastic      | Fiberglass Reinforced Plastic | Ball Float Valve |
| <b>3110</b>      |     |                   | None                               | None                          | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector      | Pressurized                   | Not Applicable   |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2         | MLLD Line Tightness Testing   |                  |
| 6,000            |     | 10/8/2014         | TLS-350/Gilbarco EMC , Veeder Root |                               |                  |
| 12               | 17  | 10/1/1998         | Fiberglass Reinforced Plastic      | Fiberglass Reinforced Plastic | Ball Float Valve |
| <b>3111</b>      |     |                   | None                               | None                          | Yes              |
| Currently in Use |     |                   | Mechanical Line Leak Detector      | Pressurized                   | Not Applicable   |
| Diesel           |     |                   | Automatic Tank Gauging 0.2         | MLLD Line Tightness Testing   |                  |
| 5,000            |     | 10/8/2014         | TLS-350/Gilbarco EMC , Veeder Root |                               |                  |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** MDOT WEST YELLOWSTONE  
US HIGHWAY 191  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Contact:** Joe Radonich, (406) 444-9204

**Sys Fac ID:** 16-04057  
**Last Inspected On:** 10/8/2014  
**Operating Permit Renewal Date:** 3/25/2018

**Owners/Operators:** MDOT Helena, Owner (406)-444-6200 KIM JANZEN  
PO BOX 201001  
HELENA MT 59620-1001

Joe Radonich, Operator 2701 PROSPECT AVE  
HELENA MT 59601

Joseph J Radonich, Operator (406)-444-9204 MDT  
DEADHEAD  
HELENA MT 59620-0901

Jeff Gleason, UST Class A Operator  
Walt Kerttula, UST Class A Operator  
Mike Murolo, UST Class A Operator  
Joe Radonich, UST Class A Operator  
Jacob Holthues, UST Class B Operator  
Dan Stroud, UST Class B Operator  
Greg Johnson, UST Class B Global Operator  
Joe Radonich, UST Class B Global Operator  
Ken Whitaker, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material               | Overfill Types               |
|------------------|-----|-------------------|---------------------------------|-------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                | Secondary Option              | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0      | Piping Type                   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                  | Primary Pipe Detection        | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                        | Secondary Pipe Detection      | Energy Act                   |
| 6                | 23  | 7/1/1992          | Cathodically Protected Steel    | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>4323</b>      |     |                   | Double-Walled                   | None                          | Yes                          |
| Currently in Use |     |                   | Not Required                    | Safe Suction                  | Galvanic                     |
| Gasoline         |     | 10/8/2014         | Continuous Interstitial Monitor | Deferred                      |                              |
| 2,000            |     |                   | ILS-350 , Veeder Root           |                               |                              |
| 7                | 23  | 7/1/1992          | Cathodically Protected Steel    | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>4324</b>      |     |                   | Double-Walled                   | None                          | Yes                          |
| Currently in Use |     |                   | Not Required                    | Safe Suction                  | Galvanic                     |
| Diesel           |     | 10/8/2014         | Continuous Interstitial Monitor | Deferred                      |                              |
| 6,000            |     |                   | ILS-350 , Veeder Root           |                               |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** TWO TOP SNOWMOBILE RENTAL  
645 GIBBON AVE  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-04445  
**Last Inspected On:** 10/8/2014  
**Operating Permit Renewal Date:** 2/27/2018

**Contact:** David McCray, (406) 646-7802

**Owners/Operators:** Two Top Snowmobile Rental Inc, Owner (406)-646-7802 PO BOX 798  
WEST YELLOWSTONE MT 59758-0798  
David McCray, UST Class A Operator  
Kennedy Brown, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material          | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|--------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option         | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type              | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection   | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection | Energy Act                   |
| 1                | 23  | 9/1/1992          | Cathodically Protected Steel  | Steel                    | Flapper Valve (Auto Shutoff) |
| 1598             |     |                   | None                          | none                     | Yes                          |
| Currently in Use |     |                   | Not Required                  | Safe Suction             | Galvanic                     |
| Gasoline         |     | 10/8/2014         | Automatic Tank Gauging 0.2    | Not Listed               |                              |
| 4,000            |     |                   | TLS-300 , Veeder Root         |                          |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** RIVERSIDE STATION  
215 CANYON ST  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-04500  
**Last Inspected On:** 5/12/2014  
**Operating Permit Renewal Date:** 8/2/2017

**Contact:** Brad or Doug Schmier, (406) 646-7735

**Owners/Operators:** Jerrys Enterprises Inc, Owner (406)-646-7735 PO BOX 669  
WEST YELLOWSTONE MT 59758-0669  
Bradley Schmier, Operator (406)-646-7735 PO BOX 669  
WEST YELLOWSTONE MT 59758-0669  
Bradley Schmier, UST Class A Operator  
Bradley Schmier, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material  | Overfill Types               |
|------------------|-----|-------------------|--|--|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option                                       | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type  | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection                                 | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection                               | Energy Act                   |
| 5                | 17  | 1/1/1999          | Steel Clad   | Flexible Plastic                                       | Flapper Valve (Auto Shutoff) |
| <b>3684</b>      |     |                   | Double-Walled  | Double-Walled  | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized  | Not Applicable               |
| Gasoline         |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 |                              |
| 12,000           |     | 4/13/2014         | TLS-350/Gilbarco EMC , Veeder Root                     | Continuous Interstitial Monitor                        |                              |
| 6                | 17  | 1/1/1999          | Steel Clad   | Flexible Plastic                                       | Flapper Valve (Auto Shutoff) |
| <b>3685</b>      |     |                   | Double-Walled  | Double-Walled  | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized  | Not Applicable               |
| Gasoline         |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 |                              |
| 8,000            |     | 4/11/2014         | TLS-350/Gilbarco EMC , Veeder Root                     | Continuous Interstitial Monitor                        |                              |
| 7                | 17  | 1/1/1999          | Steel Clad   | Flexible Plastic                                       | Flapper Valve (Auto Shutoff) |
| <b>3686</b>      |     |                   | Double-Walled  | Double-Walled  | Yes                          |
| Currently in Use |     |                   | Electronic Line Leak Detector                          | Pressurized  | Not Applicable               |
| Diesel           |     |                   | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 |                              |
| 4,000            |     | 4/11/2014         | TLS-350/Gilbarco EMC , Veeder Root                     | Continuous Interstitial Monitor                        |                              |



## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** JERRYS ENTERPRISES INC  
138 FIREHOLE LN  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-04501  
**Last Inspected On:** 5/12/2014  
**Operating Permit Renewal Date:** 8/2/2017

**Contact:** J Douglas Schmier, (406) 646-7735

**Owners/Operators:** Jerrys Enterprises Inc, Owner (406)-646-7735 PO BOX 669  
WEST YELLOWSTONE MT 59758-0669  
Bradley Schmier, UST Class A Operator  
Bradley Schmier, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material               | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|-------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option              | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection        | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection      | Energy Act                   |
| 5                | 26  | 12/11/1989        | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>1414</b>      |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic                     |
| Gasoline         |     | 5/12/2014         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 10,000           |     | 10/8/2013         |                               |                               |                              |
| 6                | 26  | 12/11/1989        | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>4302</b>      |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic                     |
| Gasoline         |     | 5/12/2014         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 10,000           |     | 10/8/2013         |                               |                               |                              |
| 7                | 26  | 12/11/1989        | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>1416</b>      |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic                     |
| Gasoline         |     | 5/12/2014         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 6,000            |     | 10/8/2013         |                               |                               |                              |
| 8                | 21  | 6/1/1994          | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>1417</b>      |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic                     |
| Diesel           |     | 5/12/2014         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 6,000            |     | 10/8/2013         |                               |                               |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** DELAWARE NORTH PARKS SERVICES AT YELLOWSTONE LLC  
1 HAMILTON LN  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-06367  
**Last Inspected On:** 8/1/2013  
**Operating Permit Renewal Date:** 10/1/2016

**Contact:** Robbie Hermanson, (406) 586-7593

**Owners/Operators:** Delaware North Parks Services at Yellowstone LLC, Owner (716)-858-5000 DENISE M WOOD  
40 FOUNTAIN PLZ  
BUFFALO NY 14202-2229

Jason Fatouros, UST Class A Operator  
Debbie Friedel, UST Class A Operator  
Justin Cook, UST Class B Operator  
Jason Fatouros, UST Class B Operator  
Debbie Friedel, UST Class B Operator  
William Rawlins, UST Class B Operator  
Cedar Shannon, UST Class B Operator  
Ron Wilkes, UST Class B Operator  
Jason Fatouros, UST Class B Global Operator  
Debbie Friedel, UST Class B Global Operator  
William Rawlins, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material               | Overfill Types               |
|------------------|-----|-------------------|---------------------------------|-------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                | Secondary Option              | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0      | Piping Type                   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                  | Primary Pipe Detection        | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                        | Secondary Pipe Detection      | Energy Act                   |
| 5                | 22  | 6/1/1993          | Cathodically Protected Steel    | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>1277</b>      |     |                   | Double-Walled                   | Double-Walled                 | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector   | Pressurized                   | Impressed Current            |
| Gasoline         |     | 7/26/2013         | Continuous Interstitial Monitor | MLLD Line Tightness Testing   |                              |
| 6,000            |     | 10/9/2012         |                                 |                               |                              |
| 6                | 22  | 6/1/1993          | Cathodically Protected Steel    | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>1278</b>      |     |                   | Double-Walled                   | Double-Walled                 | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector   | Pressurized                   | Impressed Current            |
| Diesel           |     | 7/26/2013         | Continuous Interstitial Monitor | MLLD Line Tightness Testing   |                              |
| 2,000            |     | 10/9/2012         |                                 |                               |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** EAGLE STORE UST  
3 CANYON ST  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-08570  
**Last Inspected On:** 10/7/2014  
**Operating Permit Renewal Date:** 10/8/2017

**Contact:** Eva Eagle, (406) 646-9300

**Owners/Operators:** Eagle Company Inc, Owner (406)-646-9300 PO BOX 280  
WEST YELLOWSTONE MT 59758-0280

Eva Eagle, UST Class A Operator  
Anna Kessler, UST Class A Operator  
JOSH BABROS, UST Class B Operator  
JAMIE BENES, UST Class B Operator  
Lee Sloan, UST Class B Operator  
Anna Kessler, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material               | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|-------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option              | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection        | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection      | Energy Act                   |
| 6                | 26  | 4/28/1989         | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>3986</b>      |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic                     |
| Gasoline         |     | 10/7/2014         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 8,000            |     | 10/7/2014         | TLS-300 , Veeder Root         |                               |                              |
| 7                | 26  | 4/28/1989         | Cathodically Protected Steel  | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>3987</b>      |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Galvanic                     |
| Gasoline         |     | 10/7/2014         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 8,000            |     | 10/7/2014         | TLS-300 , Veeder Root         |                               |                              |
| 8                | 18  | 10/20/1997        | Steel Clad                    | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>843</b>       |     |                   | None                          | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                   | Not Applicable               |
| Gasoline         |     | 10/7/2014         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing   |                              |
| 4,000            |     | 10/7/2014         | TLS-300 , Veeder Root         |                               |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** EAGLE SERVICE UST  
17 CANYON ST  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-08571  
**Last Inspected On:** 10/7/2014  
**Operating Permit Renewal Date:** 10/8/2017

**Contact:** Karen Eagle, (406) 646-9300

**Owners/Operators:** Eagle Company Inc, Owner (406)-646-9300 PO BOX 280  
WEST YELLOWSTONE MT 59758-0280

Eva Eagle, UST Class A Operator  
Marlys Merna, UST Class A Operator  
JOSH BABROS, UST Class B Operator  
JAMIE BENES, UST Class B Operator  
Marlys Merna, UST Class B Operator  
Lee Sloan, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material               | Overfill Types               |
|------------------|-----|-------------------|------------------------------------|-------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option              | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type                   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection        | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection      | Energy Act                   |
| 2                | 25  | 10/5/1990         | Cathodically Protected Steel       | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>844</b>       |     |                   | None                               | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector      | Pressurized                   | Galvanic                     |
| Gasoline         |     | 10/7/2014         | Automatic Tank Gauging 0.2         | MLLD Line Tightness Testing   |                              |
| 10,000           |     | 10/7/2014         | TLS-350/Gilbarco EMC , Veeder Root |                               |                              |
| 3                | 25  | 10/5/1990         | Cathodically Protected Steel       | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>845</b>       |     |                   | None                               | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector      | Pressurized                   | Galvanic                     |
| Diesel           |     | 10/7/2014         | Automatic Tank Gauging 0.2         | MLLD Line Tightness Testing   |                              |
| 4,000            |     | 10/7/2014         | TLS-350/Gilbarco EMC , Veeder Root |                               |                              |
| 7                | 16  | 6/1/1999          | Steel Clad                         | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>4018</b>      |     |                   | None                               | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector      | Pressurized                   | Galvanic                     |
| Gasoline         |     | 10/7/2014         | Automatic Tank Gauging 0.2         | MLLD Line Tightness Testing   |                              |
| 10,000           |     | 10/7/2014         | TLS-350/Gilbarco EMC , Veeder Root |                               |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** EAGLE SERVICE UST  
17 CANYON ST  
WEST YELLOWSTONE, MT 59758      GALLATIN

**Sys Fac ID:** 16-08571  
**Last Inspected On:** 10/7/2014  
**Operating Permit Renewal Date:** 10/8/2017

**Contact:** Karen Eagle, (406) 646-9300

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material               | Overfill Types               |
|------------------|-----|-------------------|------------------------------------|-------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option              | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type                   | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection        | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection      | Energy Act                   |
| 8                | 16  | 6/1/1999          | Steel Clad                         | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| <b>4019</b>      |     |                   | None                               | None                          | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector      | Pressurized                   | Galvanic                     |
| Gasoline         |     | 10/7/2014         | Automatic Tank Gauging 0.2         | MLLD Line Tightness Testing   |                              |
| 10,000           |     | 10/7/2014         | TLS-350/Gilbarco EMC , Veeder Root |                               |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** WEST ENTRANCE BLDG 458  
 WEST ENTRANCE, BLDG 458  
 WEST YELLOWSTONE, MT 59758 GALLATIN  
**Contact:** Tim Hudson, (307) 344-7381

**Sys Fac ID:** 16-08870  
**Last Inspected On:** 5/22/2013  
**Operating Permit Renewal Date:** 9/13/2016

**Owners/Operators:** National Park Service, Owner (307)-344-2333 PO BOX 168  
 YELLOWSTONE NATIONAL PARK WY 82190-0168  
 Harry Laney, UST Class A Operator  
 Claude W Long, UST Class A Operator  
 Harry Laney, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction   | Piping Material          | Overfill Types               |
|------------------|-----|-------------------|---------------------------------|--------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                | Secondary Option         | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0      | Piping Type              | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                  | Primary Pipe Detection   | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                        | Secondary Pipe Detection | Energy Act                   |
| 1                | 27  | 8/24/1988         | Cathodically Protected Steel    | Steel                    | Flapper Valve (Auto Shutoff) |
| <b>1740</b>      |     |                   | Double-Walled                   | PVC                      | Yes                          |
| Currently in Use |     |                   | Not Required                    | U.S. Suction             | Galvanic                     |
| Gasoline         |     | 5/21/2013         | Continuous Interstitial Monitor | Deferred                 |                              |
| 4,000            |     |                   |                                 |                          |                              |
| 2                | 27  | 8/24/1988         | Cathodically Protected Steel    | Steel                    | Flapper Valve (Auto Shutoff) |
| <b>1739</b>      |     |                   | Double-Walled                   | PVC                      | Yes                          |
| Currently in Use |     |                   | Not Required                    | U.S. Suction             | Galvanic                     |
| Diesel           |     | 5/21/2013         | Continuous Interstitial Monitor | Deferred                 |                              |
| 4,000            |     |                   |                                 |                          |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** TRAVELERS SERVICE CENTER  
26 ELECTRIC ST  
WEST YELLOWSTONE, MT 59758 GALLATIN  
**Contact:** Brad Loomis, (406) 646-9332

**Sys Fac ID:** 16-09852  
**Last Inspected On:** 7/1/2014  
**Operating Permit Renewal Date:** 8/6/2017

**Owners/Operators:** Loomis Enterprises Inc, Owner (406)-646-7773 PO BOX 1110  
WEST YELLOWSTONE MT 59758-1110  
Bradley Loomis, UST Class A Operator  
Bradley Loomis, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection        | Energy Act                   |
| 4                | 17  | 4/21/1998         | Steel Clad                    | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>1555</b>      |     |                   | Double-Walled                 | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                     | Not Applicable               |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing     |                              |
| 10,000           |     | 7/1/2014          | TLS-300 , Veeder Root         | Continuous Interstitial Monitor |                              |
| 5                | 17  | 4/21/1998         | Steel Clad                    | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>1556</b>      |     |                   | Double-Walled                 | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                     | Not Applicable               |
| Gasoline         |     |                   | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing     |                              |
| 10,000           |     | 7/1/2014          | TLS-300 , Veeder Root         | Continuous Interstitial Monitor |                              |
| 6                | 17  | 4/21/1998         | Steel Clad                    | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>1557</b>      |     |                   | Double-Walled                 | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                     | Not Applicable               |
| Diesel           |     |                   | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing     |                              |
| 6,000            |     | 7/1/2014          | TLS-300 , Veeder Root         | Continuous Interstitial Monitor |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** ECONO MART  
307 FIREHOLE AVE  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-10356  
**Last Inspected On:** 10/7/2014  
**Operating Permit Renewal Date:** 3/3/2018

**Contact:** Merrick Young, (406) 648-1704

**Owners/Operators:** Firehole Holdings LLC, Owner (406)-646-7887 PO BOX 257  
WEST YELLOWSTONE MT 59758-0257  
Merrick Young, UST Class A Operator  
Merrick Young, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction    | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|----------------------------------|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                 | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0       | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                   | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                         | Secondary Pipe Detection        | Energy Act                   |
| 1                | 41  | 2/11/1975         | Cathodically Protected Steel     | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>847</b>       |     |                   | Lined Interior/Impressed Current | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector    | Pressurized                     | Impressed Current            |
| Gasoline         |     | 10/9/2012         | Automatic Tank Gauging 0.2       | MLLD Line Tightness Testing     |                              |
| 10,000           |     | 10/7/2014         | TLS-300 , Veeder Root            | Continuous Interstitial Monitor |                              |
| 2                | 41  | 2/11/1975         | Cathodically Protected Steel     | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>848</b>       |     |                   | Lined Interior/Impressed Current | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector    | Pressurized                     | Impressed Current            |
| Gasoline         |     | 10/9/2012         | Automatic Tank Gauging 0.2       | MLLD Line Tightness Testing     |                              |
| 10,000           |     | 10/7/2014         | TLS-300 , Veeder Root            | Continuous Interstitial Monitor |                              |
| 4                | 41  | 2/11/1975         | Cathodically Protected Steel     | Fiberglass Reinforced Plastic   | Flapper Valve (Auto Shutoff) |
| <b>850</b>       |     |                   | Lined Interior/Impressed Current | None                            | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector    | Pressurized                     | Impressed Current            |
| Diesel           |     | 10/9/2012         | Automatic Tank Gauging 0.2       | MLLD Line Tightness Testing     |                              |
| 2,000            |     | 10/7/2014         | TLS-300 , Veeder Root            | Continuous Interstitial Monitor |                              |
| 5                | 41  | 2/11/1975         | Cathodically Protected Steel     | Fiberglass Reinforced Plastic   | Flapper Valve (Auto Shutoff) |
| <b>851</b>       |     |                   | Lined Interior/Impressed Current | None                            | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector    | Pressurized                     | Impressed Current            |
| Other            |     | 10/9/2012         | Automatic Tank Gauging 0.2       | MLLD Line Tightness Testing     |                              |
| 5,000            |     | 10/7/2014         | TLS-300 , Veeder Root            |                                 |                              |



## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** ECONO MART  
307 FIREHOLE AVE  
WEST YELLOWSTONE, MT 59758      GALLATIN

**Sys Fac ID:** 16-10356  
**Last Inspected On:** 10/7/2014  
**Operating Permit Renewal Date:** 3/3/2018

**Contact:** Merrick Young, (406) 648-1704

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection        | Energy Act                   |
| 6                | 14  | 10/1/2001         | Steel Clad                    | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>4438</b>      |     |                   | Double-Walled                 | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                     | Not Applicable               |
| Diesel           |     | 10/6/2009         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing     |                              |
| 2,000            |     | 10/7/2014         | TLS-300 , Veeder Root         | Continuous Interstitial Monitor |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** THREE BEAR LODGE INC  
217 YELLOWSTONE AVE  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-10357

**Last Inspected On:** 5/12/2014

**Operating Permit Renewal Date:** 7/3/2017

**Contact:** Clyde Seely, (406) 646-7353

**Owners/Operators:** Clyde Seely, Owner

(406)-646-7365

PO BOX 1590

WEST YELLOWSTONE MT 59758-1590

Merrick Young, UST Class A Operator

Merrick Young, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material             | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|-----------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option            | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type                 | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection      | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection    | Energy Act                   |
| 2                | 22  | 10/1/1993         | Cathodically Protected Steel  | Steel                       | Flapper Valve (Auto Shutoff) |
| 2114             |     |                   | None                          | none                        | Yes                          |
| Currently in Use |     |                   | Mechanical Line Leak Detector | Pressurized                 | Galvanic                     |
| Gasoline         |     | 5/12/2014         | Automatic Tank Gauging 0.2    | MLLD Line Tightness Testing |                              |
| 6,000            |     | 10/9/2013         |                               |                             |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** YELLOWSTONE ARCTIC YAMAHA ELECTRIC ST  
208 ELECTRIC ST  
WEST YELLOWSTONE, MT 59758      GALLATIN

**Sys Fac ID:** 16-10358  
**Last Inspected On:** 6/15/2015  
**Operating Permit Renewal Date:** 10/14/2018

**Contact:** Bill Howell, (406) 646-9636

**Owners/Operators:** William Howell, Owner (406)-646-9636 PO BOX 350  
WEST YELLOWSTONE MT 59758-0350  
William Howell, UST Class A Operator  
William Howell, UST Class B Operator  
William Howell, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction                          | Piping Material            | Overfill Types               |
|------------------|-----|-------------------|--|----------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                                       | Secondary Option           | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type                | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection     | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type   | Secondary Pipe Detection   | Energy Act                   |
| 2                | 23  | 9/1/1992          | Cathodically Protected Steel                           | Steel                      | Flapper Valve (Auto Shutoff) |
| <b>2305</b>      |     |                   | Impressed Current                                      | None                       | Yes                          |
| Currently in Use |     |                   | Not Required   | Safe Suction               | Impressed Current            |
| Gasoline         |     | 10/9/2012         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | Approved Remote Monitoring |                              |
| 6,000            |     |                   | TLS-300 , Veeder Root                                  |                            |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** KIRKWOOD RANCH MOTEL TRAILER PARK  
35 KIRKWOOD CRK  
WEST YELLOWSTONE, MT 59758      GALLATIN

**Sys Fac ID:** 16-10793  
**Last Inspected On:** 9/9/2014  
**Operating Permit Renewal Date:** 1/9/2018

**Contact:** Craig Svienson, (406) 646-7200

**Owners/Operators:** Kirkwood Ranch LTD Partnership, Owner      (406)-646-7200      35 KIRKWOOD CRK  
WEST YELLOWSTONE MT 59758-9770

Kyle Burden, UST Class A Operator  
Douglas Sveinson, UST Class A Operator  
Kyle Burden, UST Class B Operator  
Douglas Sveinson, UST Class B Global Operator

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material                 | Overfill Types               |
|------------------|-----|-------------------|------------------------------------|---------------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option                | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type                     | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection          | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection        | Energy Act                   |
| 5                | 15  | 8/1/2000          | Cathodically Protected Steel       | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>4237</b>      |     | 6/19/2014         | None                               | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Continuous Interstitial Monitoring | Pressurized                     | Galvanic                     |
| Gasoline         |     | 6/19/2014         | Automatic Tank Gauging 0.1         | Continuous Interstitial Monitor |                              |
| 6,000            |     |                   | TLS-300 , Veeder Root              |                                 |                              |
| 6                | 15  | 8/1/2000          | Cathodically Protected Steel       | Flexible Plastic                | Flapper Valve (Auto Shutoff) |
| <b>4580</b>      |     | 6/19/2014         | None                               | Double-Walled                   | Yes                          |
| Currently in Use |     |                   | Continuous Interstitial Monitoring | Pressurized                     | Galvanic                     |
| Gasoline         |     | 6/19/2014         | Automatic Tank Gauging 0.1         | Continuous Interstitial Monitor |                              |
| 2,000            |     |                   | TLS-300 , Veeder Root              |                                 |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** YELLOWSTONE HOLIDAY RESORT  
16990 HEBGEN LAKE RD PO BOX 759  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-11066

**Last Inspected On:** 2/17/2016

**Operating Permit Renewal Date:** 3/9/2016

**Contact:** Mike Manship, (877) 646-4242

**Owners/Operators:** Grayling Partners LC, Owner

(877)-646-4242

16990 HEBGEN LAKE RD  
WEST YELLOWSTONE MT 59758-9725

Bradley Campbell, UST Class A Operator

| Tank Id          | Age | Installed         | Tank Material of Construction      | Piping Material                 | Overfill Types                 |
|------------------|-----|-------------------|------------------------------------|---------------------------------|--------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option                   | Secondary Option                | Spill Protected                |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0         | Piping Type                     | CP Met Types                   |
| Product          |     | Tank/Pipe CP      | Tank Detection                     | Primary Pipe Detection          | Vapor Recovery                 |
| Capacity         |     | Line Tightness    | ATG Type                           | Secondary Pipe Detection        | Energy Act                     |
| 6                | 16  | 10/1/1999         | Concrete                           | Fiberglass                      |                                |
| 4132             | Yes | 6/3/2013          | None                               | Double-Walled                   | Yes                            |
| Currently in Use |     |                   | Continuous Interstitial Monitoring | Pressurized                     | Not Applicable, Not Applicable |
| Gasoline         |     |                   | Deferred                           | Continuous Interstitial Monitor |                                |
| 1,500            |     |                   |                                    |                                 |                                |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** RENDEZVOUS SNOWMOBILE RENTALS  
429 YELLOWSTONE AVE  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-11619

**Last Inspected On:** 11/6/2015

**Operating Permit Renewal Date:** 4/5/2019

**Contact:** Randall Roberson, (406) 646-9564

**Owners/Operators:** Rendezvous Snowmobile Rentals, Owner

(406)-646-9564

PO BOX 580

WEST YELLOWSTONE MT 59758-0580

Scott Johnson, UST Class A Operator

Scott Johnson, UST Class B Operator

| Tank Id          | Age | Installed         | Tank Material of Construction | Piping Material          | Overfill Types               |
|------------------|-----|-------------------|-------------------------------|--------------------------|------------------------------|
| Tag Number       | AST | Sump Tightness    | Secondary Option              | Secondary Option         | Spill Protected              |
| Status           |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type              | CP Met Types                 |
| Product          |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection   | Vapor Recovery               |
| Capacity         |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection | Energy Act                   |
| 1                | 22  | 10/1/1993         | Cathodically Protected Steel  | Unknown                  | Flapper Valve (Auto Shutoff) |
| 2350             |     |                   | None                          | none                     | Yes                          |
| Currently in Use |     |                   | Not Required                  | Safe Suction             | Galvanic                     |
| Gasoline         |     | 11/6/2015         | Automatic Tank Gauging 0.2    | Deferred                 |                              |
| 4,000            |     |                   | TLS-300 , Veeder Root         |                          |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** LIONSHEAD RESORT  
 1545 TARGHEE PASS HWY  
 WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-12923

**Last Inspected On:** 5/18/2015

**Operating Permit Renewal Date:**

**Contact:** Jerry Oksa, (406) 646-9584

**Owners/Operators:** Yellowstone Rental Properties LLC, Owner (406)-646-7606 547 GARDEN AVE  
 BILLINGS MT 59101-5735

| Tank Id                | Age | Installed         | Tank Material of Construction | Piping Material          | Overfill Types               |
|------------------------|-----|-------------------|-------------------------------|--------------------------|------------------------------|
| Tag Number             | AST | Sump Tightness    | Secondary Option              | Secondary Option         | Spill Protected              |
| Status                 |     | Inventory Control | Catastrophic L.D. Type 3.0    | Piping Type              | CP Met Types                 |
| Product                |     | Tank/Pipe CP      | Tank Detection                | Primary Pipe Detection   | Vapor Recovery               |
| Capacity               |     | Line Tightness    | ATG Type                      | Secondary Pipe Detection | Energy Act                   |
| 2                      | 23  | 11/1/1992         | Cathodically Protected Steel  | Steel                    | Flapper Valve (Auto Shutoff) |
| 3391                   |     |                   | None                          | none                     | Yes                          |
| Temporarily Out of Use |     |                   | Not Required                  | Safe Suction             | Galvanic                     |
| Gasoline               |     | 5/18/2015         | Vapor Monitoring              | Deferred                 |                              |
| 10,000                 |     |                   |                               |                          |                              |

## Facility Summary in GALLATIN County in the City of WEST YELLOWSTONE

**Location:** DNC Parks & Resorts of West Yellowstone  
315 YELLOWSTONE AVE  
WEST YELLOWSTONE, MT 59758 GALLATIN

**Sys Fac ID:** 16-13528

**Last Inspected On:** 5/18/2015

**Operating Permit Renewal Date:**

**Contact:** Jason Fatouros, (406) 580-9652

**Owners/Operators:** DNC Parks & Resorts Of West Yellowstone Inc, Owner (716)-858-5000 ATTN: LICENSING  
40 FOUNTAIN PLZ  
BUFFALO NY 14202-2229

Jason Fatouros, UST Class A Operator  
Debbie Friedel, UST Class A Operator  
Paul Campbell, UST Class B Operator  
Justin Cook, UST Class B Operator  
Jason Fatouros, UST Class B Operator  
Debbie Friedel, UST Class B Operator  
Cedar Shannon, UST Class B Operator  
William Watson, UST Class B Operator  
Jason Fatouros, UST Class B Global Operator  
Debbie Friedel, UST Class B Global Operator

| Tank Id                | Age | Installed         | Tank Material of Construction                          | Piping Material               | Overfill Types               |
|------------------------|-----|-------------------|--|-------------------------------|------------------------------|
| Tag Number             | AST | Sump Tightness    | Secondary Option                                       | Secondary Option              | Spill Protected              |
| Status                 |     | Inventory Control | Catastrophic L.D. Type 3.0                             | Piping Type                   | CP Met Types                 |
| Product                |     | Tank/Pipe CP      | Tank Detection   | Primary Pipe Detection        | Vapor Recovery               |
| Capacity               |     | Line Tightness    | ATG Type   | Secondary Pipe Detection      | Energy Act                   |
| 1                      | 21  | 9/10/1994         | Cathodically Protected Steel                           | Fiberglass Reinforced Plastic | Flapper Valve (Auto Shutoff) |
| 2306                   |     |                   | None   | None                          | Yes                          |
| Temporarily Out of Use |     |                   | Mechanical Line Leak Detector                          | Pressurized                   | Galvanic                     |
| Diesel                 |     | 5/18/2015         | Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2 | MLLD Line Tightness Testing   |                              |
| 4,000                  |     | 10/6/2011         |  |                               |                              |